# Archer AUSTRALIA




# CHAINSAW BAR CATALOGUE

CHAINSAW PADS CONTACTS

**Paul M Duggan**

380 Foleys Road, Derrimut
(Melbourne) VICTORIA 3030
AUSTRALIA

**Phone** +613 8390 3900
**Fax** +613 8390 3999
**Mobile** +61 414 317 316
**Email** paul@pmdinter.com.au
**Skype** paulduggan10

**Chris J Fehn**
*International Sales Manager*

PO Box 291209
605 South Brick Road
COLUMBIA, SC 29229
USA

**Phone** +1 803 736 0758
**Fax** +1 803 865 8269
**Mobile** +1 803 309 0822
**Email** chris@pmdintusa.com
**Skype** CJFEHN

**Cindy Zhang**

397 Jinyuan Street,
Dongmei Industrial Park
JINHUA, ZHEJIANG
CHINA

**Phone** 86 579 8223 9812
**Fax** 86 579 8223 9821
**Mobile** 86 138 6899 9730
**Email** cindy@pmdchina.com.cn
**Skype** cindypmd

# WORLDWIDE OFFICES:

**AUSTRALIA**
Melbourne

**USA**
Columbia

**CHINA**
JinHua

# CHAINSAW CONTENTS


| | |
|---|---|
| Chainsaw Guide Bars | 4-8 |
| Part Number System | 9 |
| Replacement Guide Bar Noses | 11 |
| Chainsaw Guide Bar Mounts | 12-17 |
| Application Guide | 19-47 |
| Part Number Cross Reference | 48-56 |
| Chainsaw Guide Bar Mounts Cross Reference | 57-59 |

## PROMAX RN BAR TYPE

Roller sprocket nose guide bar
For professional users
Solid one piece construction
6 rivet nose

Available in:
.325”, 3/8” and .404” noses




| |
|---|
| .325” x 12 Teeth Sprocket |
| 3/8” x 11 Teeth Sprocket |
| .404” x 10 Teeth Sprocket |

## LASERMAX HS BAR TYPE

Professional ‘Stellite’ solid laser welded guide bar



## WOODMAX WM BAR TYPE

Mini roller sprocket nose guide bar
4 rivet replaceable sprocket nose
For professional users

Available in:
.325” and 3/8” LP noses




| |
|---|
| .325” x 12 Teeth Sprocket |
| 3/8” LP x 11 Teeth Sprocket |

## TIMBERMAX LS BAR TYPE

Laminated guide bar
4 rivet replaceable sprocket nose
For professional users

Available in:
.325” and 3/8” sprockets




| |
|---|
| .325” x 11 Teeth Sprocket |
| 3/8” x 10 Teeth Sprocket |

## TRIMAX TL BAR TYPE

Heavy duty, laminated guide bar
6 rivet replaceable sprocket nose
For professional users

Available in:
.325”, 3/8” and .404” noses




| |
|---|
| .325” x 12 Teeth Sprocket |
| 3/8” x 11 Teeth Sprocket |
| .404” x 10 Teeth Sprocket |

## MINIMAX CL BAR TYPE

Consumer laminated guide bar
4 rivets replaceable sprocket nose.

Available in:
.325” and 3/8” LP




| |
|---|
| .325” x 10 Teeth Sprocket |
| 3/8” LP x 9 Teeth Sprocket |

## HOBBYMAX HL BAR

Consumer laminated guide bar

1 rivet sprocket nose

Available in:
3/8” LP




| |
|---|
| 3/8” LP x 7 Teeth Sprocket |
| 1/4” x 9 Teeth Sprocket |

## REPLACEMENT NOSES

Professional laminated guide bar

5 rivet nose

Available in:
.404” to .325” and 3/8”



| |
|---|
| .325” OR325 - .325 x 12 Teeth |
| 3/8” OR38 - 3/8” x 11 Teeth |
| .404” OR404 - .404 x 10 Teeth |

Professional mini roller sprocket nose guide bar

4 rivet replaceable sprocket nose

Available in:
.325” and 3/8” LP



# CHAINSAW BARS GUIDE BARS

## CARVING BAR




| |
|---|
| 8 X 0 - HS - CCY |
| 10 X 0 - HS - COY |
| 12 X 0 - HS - COY |
| 14 X 0 - HS - COY |
| 16 X 0 - HS - COY |
| 18 X 0 - HS - COY |

## PRUNING BAR




| |
|---|
| 8D0 - HL - PR 3/8 LP (043 & 050) |
| 8K0 - HL - PR 1/4 (043 & 050) |

# 20 A 3 LS SN




| 20<br>Bar Length | A<br>Pitch | 3<br>Gauge | LS<br>Bar Type | SN<br>Mount |
|---|---|---|---|---|
| 12″ | A =3/8″ x 10T | 0 = .050″<br>(1.3 mm) | <br>HS | SN |
| 14″ | B =.325″ x 11T | 3 = .063″<br>(1.6 mm) | <br>RN | HV |
| 16″ | D = 3/8″ LP x 9T | 4 = .043″<br>(1.1 mm) | <br>RL | UH |
| 20″ | F = .404″ x 10T | 8 = .058″<br>(1.5 mm) | <br>LS | SW |
| etc. | X = Stellite | | <br>TL | PO |
| | K = 1/4″ | | <br>CL | etc. |
| | | | <br>HL | |

**WE CAN MAKE ANY BAR YOU REQUIRE.**

**WE ARE HERE TO ASSIST YOU.**

Archer AUSTRALIA

# 3/8" LP CHISEL SAW CHAIN

## SPEED & HIGH PERFOMANCE TOGETHER



**NEW**

Super chain for arborist and professional pruning operators

Excellent aggressive cutting at high speed

Fast and clean cutting while offering quieter operation

Ideal for clean and new tree cutting

Filing marks are located in top-plate of each cutters

All components are BLUED and are coated with protective oil.

All cutters are Chrome plated with layers of industrial hard Chrome.

All ARCHER rivets are processed through our 4 stage Induction Heat Treatment process.



## NOSE 1



## NOSE 2



## NOSE 3



# CHAINSAW BARS
# REPLACEMENT NOSES




**NEW**

**ALKO, BLACK & DECKER, MCCULLOCH, ECHO, POWER PRUNER, RYOBI, SHINDAIWA**

Oregon Mount: A218

***NOTE: Mount illustrations may not be exactly 100% to scale.**

NEW

# IN-STORE DISPLAY STAND




**Improve your sales and your customers sales with these quality display stands at incredible prices.**

- High Quality steel stand
- Modern Slat wall type display
- Flat packed and easy to assemble
- Simple to join stands together
- Great lighting to highlight products
- PRICE only US$120
- No MOQ for Archer stands
- Private label stands available (choose your own colours) **MOQ 100**

AEG, ALPINA, BOSCH, DOLMAR, ECHO, EINHELL, HITACHI, IKRA, JONSERED, MAKITA, OLEO-MAC/OLYMPYK, OPEM, PARTNER, POULAN, RYOBI, SHINDAIWA, SHINGU, SKIL, STANLEY, TANAKA, ZENOAH




Oregon Mount: A041




Oregon Mount: K041

ALKO, ECHO, McCULLOCH, POULAN, TANAKA




Oregon Mount: D176

*NOTE: Mount illustrations may not be exactly 100% to scale.




**EFCO, OLEO-MAC/ OLYMPYK, LOGOSOL, STIHL**

Oregon Mount: E099




**BLACK & DECKER, POWER PRUNER, REMINGTON, RYOBI, SHARK, STIGA**

Oregon Mount: A318




**HOMELITE**

Oregon Mount: A061

*NOTE: Mount illustrations may not be exactly 100% to scale.

HOMELITE,
REMINGTON




Oregon Mount: D096

ALPINA/CASTOR,
CASTEL, DOLMAR,
EINHELL, HOMELITE,
HUSQVARNA, JONSERED,
MAKITA, McCULLOCH,
METABO,
OLEO-MAC/OLYMPYK,
PARTNER, SOLO,
STANLEY, STIGA,
ZENOAH




Oregon Mount: A095

ALPINA/CASTOR,
CASTEL, DOLMAR,
EINHELL, HOMELITE,
HUSQVARNA, JONSERED,
MAKITA, McCULLOCH,
METABO,
OLEO-MAC/OLYMPYK,
PARTNER, SOLO,
STANLEY, STIGA,
ZENOAH




Oregon Mount: K095

*NOTE: Mount illustrations may not be exactly 100% to scale.




**ALPINA/CASTOR, DOLMAR, HUSQVARNA, JONSERED, MAKITA, PARTNER, SHINDAIWA, SOLO**

Oregon Mount: D009




**BLITZ, JONSERED, McCULLOCH, OLEO-MAC/OLYMPYK**

Oregon Mount: D024




**ALPINA/CASTOR, CASTEL GARDEN, METABO, OLEO-MAC/OLYMPYK, STIHL, STIGA**

Oregon Mount: A074

***NOTE: Mount illustrations may not be exactly 100% to scale.**

**LOGOSOL, STIHL**




Oregon Mount: D025

**STIHL**




Oregon Mount: E031

**FRONTIER, JOBU, JONSERED, PIONEER**




Oregon Mount: A064

*NOTE: Mount illustrations may not be exactly 100% to scale.

Archer AUSTRALIA

# ARCHER SPROCKETS ARE SUPERIOR TO ALL OTHER SPROCKETS

## WHY?

## BECAUSE THEY ARE SPECIALLY MADE IN ONE (1) PIECE HOT FORGED FOR SUPERIOR STRENGTH & LONGER PERFORMANCE.



BEARING INCLUDED
OVER 330 MODELS



RIMS INCLUDED
GREAT PACKAGING

SEE ARCHER SPROCKET CATALOGUE FOR COMPLETE LISTINGS

CHAINSAW BARS SPROCKETS

# CHAINSAW BARS







## ALKO

### E1200, 1400E, 1500E, 2000, 2300, E125, 25A, KE4000, KE3500

| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | | | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 455 | | | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |

### 140, 240, KB5000

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 33 | 13 | .325 | .050 | 1,3 | 56 | 384 | | | | | | 13B0-TL-UH | 13B0-LS-UH | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | | | | | | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 80 | 583 | | | | | | | 20B0-LS-UH | | |

### 1074, P21, P26, P28, 251, 261, 460, 480

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | | | | | | | 16A0-TL-EX | 16A0-LS-EX | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | | | | | | | 18A0-TL-E | 18A0-LS-E | | |
| | 18 | 3/8 | .050 | 1,3 | 66 | | | | | | | 18A0-TL-EX | 18A0-LS-EX | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 70 | | | | 20A0-RN-EX | | | 20A0-TL-EX | 20A0-LS-EX | | |
| 60 | 24 | 3/8 | .050 | 1.3 | 84 | | | | 24AO-RN-EX | | | | | | |

## ALPINA

### ELETTRA 160/170, ENERGY 1.6, ENERGY 1.8, SINERGY 35, SINERGY 40, P360, PR361, P370, P390, PR391, PR270, PR280

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 30 | 12 | 3/8 LP | .043 | 1,1 | 44 | 342 | | | | | 12D0-WM-SW | | | 12D4-CL-SW | 12D4-HL-SW |
| 35 | 14 | 3/8 LP | .043 | 1,1 | 50 | 391 | | | | | 14D0-WM-SW | | | 14D4-CL-SW | 14D4-HL-SW |
| 40 | 16 | 3/8 LP | .043 | 1,1 | 55 | 434 | | | | | 16D0-WM-SW | | | 16D4-CL-SW | 16D4-HL-SW |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 342 | | | | | | | | 12D0-CL-SW | 12D0-HL-SW |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 50 | 391 | | | | | | | | 14D0-CL-SW | 14D0-HL-SW |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 55 | 434 | | | | | | | | 16D0-CL-SW | 16D0-HL-SW |

### E120, E130, E150, ES182, ES202,A-10E, A-14E, KS1400B, KS1500B, 352, 382

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 342 | | | | | | | | 12D0-CL-PO1 | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 455 | | | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |

### C25, C38T, EA1800, C1.8E, A4000, A3700, EA2000, QC38, C2.2ET, C2.2E, C2.0ET, C2.0E

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 10 | 3/8 | .050 | | | | | | | | | | | | |
| | 14 | 3/8 | .050 | | | | | | | | | | | | |
| | 16 | 3/8 | .050 | | | | | | | | | | | | |
| | 18 | | | | | | | | | | | | | | |

APPLICATION GUIDE



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALPINA CONTINUED** | | | | | | | | | | | | | |
| A350, P382, A40, A400, P41, P45, P400, P402, P411 P422, P442, P510, P522, PRO-540, PRO-600, C40, P510, P460, P700, P482, C41, P500, P450, CP66, ,P450 , P470, P480, P45, CP40, CP41, CP540, CP600 CP65, CP55, CP56, PROF 66 | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | 18B0-RN-UH | | | 18B0-LS-UH | | |
| C46, C50, A4500 | | | | | | | | | | | | | |
| .058 GROOVE GUAGE FOR ABOVE BARS | | | | | | | | | | | | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 567 | | 20B8-RN-UH | | 20B8-TL-UH | 20B8-LS-UH | | |
| PROF-55, PROF-56, PROF-65, PROF-66, 600, 600i, P650, P700, P750, PROF 800, PROF90, PRO78, 970S, CP90, CP120, C46, C50, A4500 | | | | | | | | | | | | | |
| 38 | 15 | 3/8 | .058 | 1,5 | 56 | 451 | | | | 15A8-TL-UH | 15A8-LS-UH | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 465 | | | | | 16A8-LS-UH | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 64 | 509 | | 18A8-RN-UH | | 18A8-TL-UH | 18A8-LS-UH | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 548 | | 18X8-RN-UHX | | 18X8-TL-UHX | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 70 | 566 | | 20X8-RN-UHX | | 20X8-TL-UHX | 20X8-LS-UH | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | 20X8-RN-UH | | 20X8-TL-UH | | | |
| P660, P680, P700, P750, P760, P800 | | | | | | | | | | | | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 548 | 18X8-HS-HV | 18A8-RN-HV | | 18A8-TL-HV | 18A8-LS-HV | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | 20X8-HS-HV | 20A8-RN-HV | | 20A8-TL-HV | 20A8-LS-HV | | |
| 55 | 22 | 3/8 | .058 | 1,6 | 76 | 623 | 22X8-HS-HV | 22A8-RN-HV | | | | | |
| **BLITZ** | | | | | | | | | | | | | |
| B34, B300, B304, B400, B404, B4, B38, B35D, B35DX, B35, E140F | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | | | | | | | 12D0-CL-OL | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 50 | | | | | | | 14D0-CL-OL | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 55 | | | | | | | 16D0-CL-OL | |
| B42, B45A, B54A, B46, B51, B38, B41, B54 | | | | | | | | | | | | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 80 | 566 | | 20B8-RN-UH | | 20B8-TL-UH | 20B8-LS-UH | | |



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **BLITZ CONTINUED** | | | | | | | | | | | | | |
| B50, B52, B55, B60, B64, B500, B501S, B502, B504, B600, B701, B702, B80, B800, B802, B804, B52AF, B64XLF | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | | | | | 16A8-LS-JO | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 545 | | | | 18A8-TL-JO | 18A8-LS-JO | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | | | 20A8-TL-JO | 20A8-LS-JO | | |
| **BOSCH** | | | | | | | | | | | | | |
| AKE30/17S-18S-19S, AKE35/17-18-19, AKE40/17-18-19 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .043 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .043 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .043 | 1,3 | 57 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| 1586.7, 1586.8, AKE30B, AKE35, AKE40, GKE35, GKE40, PKE25, PKE30, PKE35, PKE40, AKE35-19PRO, BULLCRAFT | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| KS450 | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | | | | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 80 | 583 | | | | | 20B0-LS-UH | | |
| **CARVING BARS** | | | | | | | | | | | | | |
| 24mm (quarter) tip with Open mount 1/4 pitch | | | | | | | | | | | | | |
| | 10 | 1/4 | .050 | 1.3 | 60 | 324 | 10X0-HS-COY | | | | | | |
| | 12 | 1/4 | .050 | 1.3 | 68 | 342 | 12X0-HS-COY | | | | | | |
| | 14 | 1/4 | .050 | 1.3 | 76 | 413 | 14X0-HS-COY | | | | | | |
| | 16 | 1/4 | .050 | 1.3 | 90 | 471 | 16X0-HS-COY | | | | | | |
| | 18 | 1/4 | .050 | 1.3 | 94 | 520 | 18X0-HS-COY | | | | | | |
| 24mm (quarter) tip with Open mount 3/8 LP pitch | | | | | | | | | | | | | |
| | 10 | 3/8LP | .050 | 1.3 | 42 | 324 | 10X0-HS-COY | | | | | | |
| | 12 | 3/8LP | .050 | 1.3 | 45 | 342 | 12X0-HS-COY | | | | | | |
| | 14 | 3/8LP | .050 | 1.3 | 53 | 413 | 14X0-HS-COY | | | | | | |
| | 16 | 3/8LP | .050 | 1.3 | 61 | 471 | 16X0-HS-COY | | | | | | |
| | 18 | 3/8LP | .050 | 1.3 | 64 | 520 | 18X0-HS-COY | | | | | | |






## CARVING BARS CONTINUED

| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **24mm (quarter) tip with closed mount 1/4 Pitch** | | | | | | | | | | | | | |
| | 8 | 1/4 | .050 | 1.3 | 54 | 274 | 8X0-HS-CCY | | | | | | |
| | 8 | 1/4 | .043 | 1.1 | 54 | 274 | 8X4-HS-CCY | | | | | | |
| | 10 | 1/4 | .050 | 1.3 | 62 | 324 | 10X0-HS-CCY | | | | | | |
| **24mm (quarter) tip with closed mount 3/8 LP Pitch** | | | | | | | | | | | | | |
| | 8 | 3/8LP | .050 | 1.3 | 37 | 274 | 8X0-HS-CCY | | | | | | |
| | 8 | 3/8LP | .043 | 1.1 | 37 | 274 | 8X4-HS-CCY | | | | | | |
| | 10 | 3/8LP | .050 | 1.3 | 42 | 324 | 10X0-HS-CCY | | | | | | |

## CASTEL

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CS16E, CS17E, CS35, CS36, CS39** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 342 | | | 12D0-WM-SW | | | 12D0-CL-SW | 12D0-HL-SW |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 50 | 391 | | | 14D0-WM-SW | | | 14D0-CL-SW | 14D0-HL-SW |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 55 | 434 | | | 16D0-WM-SW | | | 16D0-CL-SW | 16D0-HL-SW |
| **CS45, CS50** | | | | | | | | | | | | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 385 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | | | 18B8-TL-UH | 18B8-LS-UH | | |
| **CS60** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 465 | | | | | 16A8-LS-UH | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 64 | 519 | | | | 18A8-TL-UH | 18A8-LS-UH | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 70 | 566 | | | | 20A8-TL-UHX | 20A8-LS-UHX | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | | | 20A8-TL-UH | 20A8-LS-UH | | |

## CASTOR

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ELETTRA 160/ 170, HIGH TECH 1.6/ 1.8, CP360, CP370, CP380** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | | | | | | | | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 50 | | | | | | | | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 55 | | | | | | | | |
| **C40, C40E, CP41, CP45, CP400, CP450, CP500, CP460, CP510, CP540, CP550** | | | | | | | | | | | | | |
| 33 | 13 | .325 | .050 | 1,3 | 56 | 385 | | | | 13B0-TL-UH | 13B0-LS-UH | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **CASTOR CONTINUED** | | | | | | | | | | | | | |
| **C40, C40E, CP41, CP45, CP400, CP450, CP500, CP460, CP510, CP540, CP550** | | | | | | | | | | | | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 385 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| | 14 | .325 | .058 | 1,5 | 60 | 415 | | | | 14B8-TL-UH | 14B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 465 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | | | | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 566 | | | | 20B8-TL-UH | 20B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 80 | 583 | | | | 20B8-TL-UHX | 20B8-LS-UHX | | |
| **CP-55, CP-56, CP-65, CP-66, CP600, CP600i, CP650** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | 468 | | | | | 16A0-LS-UH | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | 519 | | 18A0-RN-UH | | 18A0-TL-UH | 18A0-LS-UH | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 468 | | | | | 16A8-LS-UH | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 64 | 519 | | 18A8-RN-UH | | 18A8-TL-UH | 18A8-LS-UH | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 548 | | 18A8-RN-UHX | | 18A8-TL-UHX | 18A8-LS-UHX | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 70 | 566 | | 20A8-RN-UH | | 20A8-TL-UHX | 20A8-LS-UHX | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | 20A8-RN-UHX | | 20A8-TL-UH | 20A8-LS-UH | | |
| **CP-700, CP-800, CP750** | | | | | | | | | | | | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 549 | 18X8-HS-HV | 18A8-RN-HV | | 18A8-TL-HV | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 586 | 20X8-HS-HV | 20A8-RN-HV | | 20A8-TL-HV | | | |
| 60 | 24 | 3/8 | .058 | 1,5 | 76 | 690 | 24X8-HS-HV | 24A8-RN-HV | | | | | |
| **CHINA CHAINSAWS** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 454 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 443 | | | | | | | 16D0-HL-POX |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | | | | | | | 14D0-CL-C | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | | | | | | | 16D0-CL-C | |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 62 | | | | | | | 18D0-CL-C | |
| 35 | 14 | .325 | .050 | 1.3 | 60 | | | | | | 14B0-LS-C | | |
| 40 | 16 | .325 | .050 | 1.3 | 64 | | | | | | 16B0-LS-C | | |
| 45 | 18 | .325 | .050 | 1.3 | 72 | | | | | | 18B0-LS-C | | |
| 50 | 20 | .325 | .050 | 1.3 | 76 | | | | | | 20B0-LS-C | | |





| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **DOLMAR** | | | | | | | | | | | | | |
| ES-31, ES-36, PS39, ES-40, ES-152A, ES-162A, AS-172A, PS33, PS-34, PS-3300TH, PS-330, PS-340, PS-341,PS342, PS-344, PS350, PS-400, PS-401, PS410, PS411, 90VP, 95VP, 3000, PS45, PS41 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .043 | 1.1 | 45 | 348 | | | | | | 12D4-CL-PO | 12D4-HL-PO |
| 35 | 14 | 3/8 LP | .043 | 1,1 | 52 | 415 | | | | | | 14D4-CL-PO | 14D4-HL-PO |
| 40 | 16 | 3/8 LP | .043 | 1,1 | 56 | 443 | | | | | | 16D4-CL-PO | 16D4-HL-PO |
| PS3400, PS342, 100, 101, 102, 103, 104, 105, 106, 108, PS390, 275, 285, 295, ES140, ES160, ES1600, ES31, PS3410, ES152A, ES162A, ES172A, CS2040, ES151, ES140, 275, ES30, ES160, 285, ES161, ES2040, ES2035, ES153, ES183, ES173, ES163 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1.1 | 45 | 348 | | | 12D0-WM--PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,1 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,1 | 56 | 443 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| PS-32 , PS-351, PS-420, PS-35, PS-421, PS-5105, PS-510, PS-5105H, PS-6100, PS-6400, PS-6400H, PS-6400W | | | | | | | | | | | | | |
| | 12 | 3/8 | .050 | | | | | | | | | | |
| | 14 | 3/8 | .050 | | | | | | | | | | |
| | 16 | 3/8 | .050 | | | | | | | | | | |
| | 18 | 3/8 | .050 | | | | | | | | | | |
| | 20 | | | | | | | | | | | | |
| PS-7310, PS-7310 H, PS-7910 H, PS-7910 W, PS-7910 XD | | | | | | | | | | | | | |
| | PHO | 3/8 | .050 | | | | | | | | | | |
| PS-510 | | | | | | | | | | | | | |
| | 18 | .325 | .050 | | | | | | | | | | |
| 109, 111, 112, 114,115, 116 , 117, 119, 219, PS460, PS 52, PS510, PS540, PS5000, PS5100,PS-5105, PS-6000iH, PS-6800i, PS-6800iH, 120si, 1231, PS-6100, PS43, PS4600, PS500 | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15X0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | | | 18B0-TL-UHX | 18B0-LS-UHX | | |
| 50 | 20 | .325 | .050 | 1,3 | 78 | 566 | | 20B8-RN-UH | | | 20B8-LS-UH | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 465 | | | | 16B8-TL-UH | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 566 | | 20B8-RN-UH | | 20B8-TL-UH | 20B8-LS-UH | | |



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

## DOLMAR CONTINUED

| 109, 111, 112, 114,115, 116 , 117, 119, 219, PS460, PS 52, PS510, PS540, PS5000, PS5100,PS-5105, PS-6000iH, PS-6800i, PS-6800iH, 120si, 1231, PS-6100, PS43, PS4600, PS500 | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 465 | | | | 16A8-TL-UH | 16A8-LS-UH | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 64 | 509 | | 18A8-RN-UH | | 18A8-TL-UH | 18A8-LS-UH | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | 20A8-RN-UH | | 20A8-TL-UH | 20A8-LS-UH | | |
| 60 | 24 | 3/8 | .058 | 1,5 | 84 | 662 | | | | | | | |
| 45 | 16 | 3/8 | .050 | 1,3 | 60 | 471 | | | | 16A0-TL-UH | 16A0-LS-UH | | |
| 50 | 18 | 3/8 | .050 | 1,3 | 64 | 515 | | 18A0-RN-UH | | 18A0-TL-UH | 18A0-LS-UH | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 72 | 583 | | 20A0-RN-UH | | 20A0-TL-UH | 20A0-LS-UH | | |
| 60 | 24 | 3/8 | .050 | 1,3 | 84 | 662 | | | | | | | |
| 122, 123, 133, 143, 144, 152, 153, 166, 186, CA | | | | | | | | | | | | | |
| 43 | 17 | 3/8 | .063 | 1,6 | 64 | | | | | | | | |
| 53 | 21 | 3/8 | .063 | 1,6 | 73 | | | | | | | | |
| 63 | 25 | 3/8 | .063 | 1,6 | 87 | | | | | | | | |
| PS-6400, PS-7300, PS-7900, PS9000, PS9010 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | 16X8-HS-HV | | | | | | |
| 43 | 17 | 3/8 | .058 | 1,5 | 64 | 508 | | | | | | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 549 | 18X8-HS-HV | 18A8-RN-HV | | 18A8-TL-HV | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 586 | 20X8-HS-HV | 20A8-RN-HV | | 20A8-TL-HV | | | |
| 55 | 22 | 3/8 | .058 | 1,5 | 76 | 623 | 22X8-HS-HV | 22A8-RN-HV | | | | | |
| 60 | 24 | 3/8 | .058 | 1,5 | 84 | 690 | | | | | | | |
| 65 | 26 | 3/8 | .058 | 1,5 | 89 | | | | | | | | |
| 70 | 28 | 3/8 | .058 | 1,5 | 92 | 768 | | | | | | | |

## ECHO (KIORITZ)

| CS-280, CS-302, CS-304VL,CS320, 341, 346, 3000, 3400, 3450, CS-280EG, CS-280EVL, CS-351IVL CS260, CS2700, | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 25 | 10 | 1/4 | .050 | 1,3 | 56 | 300 | | | | | | | 10K0-HL-PO |
| 30 | 12 | 1/4 | .050 | 1,3 | 66 | 351 | | | | | | | 12K0-HL-PO |
| 35 | 14 | 1/4 | .050 | 1,3 | 76 | 417 | | | | | | | 14K0-HL-PO |
| CS2700, CS-285EVL, CS-290EVL, CS-300EVL, CS320, CS-280E, CS-302, CS305, CS310, CS-315, CS-320EVL, CS-328, CS-330EVL, CS-360EVL, E155, CS-2800, CS-2900, CS3000, CS3050, CS-3400, CS3450, ECS150/1850FT, CS2600/ 3000/3400, CS3050/CS3500, CS-271, CS-301, CS-302S, CS-330, CS-340, CS341, CS-345, CS346, CS-351, CS-352, ECS-2000, ECS-3000, CS-4400, CS-2600, E255, CS260, CS370, CS370T, CS2700, CS350 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |

APPLICATION GUIDE





| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

## ECHO (KIORITZ) CONTINUED

| CS350, CS-3600, CS370, CS3700, CS3900, CS-4000, CS490, CS400EVL, CS440EVL, CS440EVLH, CS450, CS4200, CS-500, CS-510, CS520, CS530,CS550, CS-360EVL, CS4010, CS4100, CS420, CS4400, CS-4510, CS4600, CS4610, CS5000, CS5100, CS4500 | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 35 | 13 | .325 | .050 | 1,3 | 56 | | | | | | | | |
| | 14 | .325 | .050 | 1,3 | 61 | 415 | | | | | 14B0-LS-TO | | |
| 40 | 15 | .325 | .050 | 1,3 | 64 | 454 | | | | | 15B0-LS-TO | | |
| 45 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | | 16B0-LS-TO | | |
| | 18 | .325 | .050 | 1,3 | 72 | 519 | | | | | 18B0-LS-TO | | |

| CS350, CS-3600, CS370, CS3700, CS3900, CS-4000, CS490, CS400EVL, CS440EVL, CS440EVLH, CS450, CS4200, CS-500, CS-510, CS520, CS530,CS550, CS-360EVL, CS4010, CS4100, CS420, CS4400, CS-4510, CS4600, CS4610, CS5000, CS5100, CS4500 | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 40 | 16 | .325 | .058 | 1,5 | 66 | | | | | | 16B8-LS-ET | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | | | | | | 18B8-LS-ET | | |

| CS-303T, CS60S, CS451VL, CS452VL, CS500EVL, CS501, CS510EVL, CS550EVL, CS590, CS-600EVL, CS602VL, CS-610EVL, CS620, CS-650EVL, CS-660EVL, CS-680, CS-702VL, CS750EVL, CS-750VL, CS5000, CS-5500, CS5501, CS-501, CS-601, CS610, CS-670, CS-701, CS702, CS-706, CS800, CS6700, CS6701, CS6702, CS6703, CS8000 , CS8001, CS8002 | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL EX BARS AVAILABLE IN .050 & .058 GAUGE GROOVES | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | | | | | 16A0-TL-EX | 16A0-LS-EX | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | | | | | 18A0-TL-E | 18A0-LS-E | | |
| | 18 | 3/8 | .050 | 1,3 | 66 | | | | | 18A0-TL-EX | 18A0-LS-EX | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 70 | | | 20A0-RN-EX | | 20A0-TL-EX | 20A0-LS-EX | | |
| 60 | 24 | 3/8 | .050 | 1.3 | 84 | | | 24AO-RN-EX | | | | | |

## EFCO

| 125, 131, 132, 137, 141S, MT3500, MT3600, MT3700 MT3750, MT4000, MT350, MT440, MT4100 | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 25 | 10 | 3/8LP | .050 | 1.3 | 40 | 300 | | | 10D0-WM-PO | | | 10D0-CL-PO | 10D0-HL-PO |
| 30 | 12 | 3/8LP | .050 | 1.3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8LP | .050 | 1.3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8LP | .050 | 1.3 | 56 | 443 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |

| 141S, MT4100SP, MT440, MT4400 | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 40 | 16 | 325 | .050 | 1.3 | 66 | 468 | | | | | 16B0-LS-TO1 | | |
| 45 | 18 | 325 | .050 | 1.3 | 72 | 519 | | | | | 18B0-LS-TO | | |

| 147, 152, 156, 162, 165, MT5200 | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 80 | 583 | | 20B8-RN-UH | | 20B8-TL-UH | 20B8-LS-UH | | |

# CHAINSAW BARS





| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **EFCO CONTINUED** | | | | | | | | | | | | | |
| **147, 152, 156, 162, 165, MT6500** | | | | | | | | | | | | | |
| 33 | 13 | 3/8 | .058 | 1,5 | | 384 | | | | | | | |
| 38 | 15 | 3/8 | .058 | 1,5 | | 445 | | | | | 15A8-LS-UH | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 465 | | | | | 16A8-LS-UH | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 519 | | 18B8-RN-UH | | 18A8-TL-UH | 18A8-LS-UH | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | 20B8-RN-UH | | 20A8-TL-UH | 20A8-LS-UH | | |
| **181, MT6500, MT7200, MT8200** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 474 | | | | 16A8-TL-HV | 16A8-LS-HV | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 549 | | | | 18A8-TL-HV | 18A8-LS-HV | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 586 | | | | 20A8-TL-HV | 20A8-LS-HV | | |
| **170, 180, 171, 181** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | | | | 16A8-TL-JO | 16A8-LS-JO | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 545 | | | | 18A8-TL-JO | 18A8-LS-JO | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | | | 20A8-TL-JO | 20A8-LS-JO | | |
| **199** | | | | | | | | | | | | | |
| 43 | 17 | .404 | .063 | 1,6 | 60 | | | | | | | | |
| 53 | 21 | .404 | .063 | 1,6 | 68 | | | | | | | | |
| **POLE PRUNER PT2700, PTX2700,PT2500** | | | | | | | | | | | | | |
| 25 | 10 | 3/8LP | .043 | 1.1 | 39 | | | | | | | 10D4-CL-MS | |
| **EINHELL** | | | | | | | | | | | | | |
| **PES30/2, PES34/2, PES34/3, PES35, PES35/2TS, PES35/3, PES35/3TS, PES40/3, PROFI, PKS35/1AV, PKS40/1AV, 45/1AV, KES1640, PES1540, KSE1435/1635/1640/2000, PKS1635/1840** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 455 | | | | | | 16D0-CL-PO | 16D0-HL-PO |
| **PKS45/1AV, PKS50/1AV, RBK 5045** | | | | | | | | | | | | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | 16B8-TL-UH | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 509 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| **FRONTIER** | | | | | | | | | | | | | |
| **MARK I, MARK 11 VIP, F35AV, FB35, FP35, FP45, FP365VIP** | | | | | | | | | | | | | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 50 | 452 | | | | | | 14D0-CL-F | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | | | | | | | | |

APPLICATION GUIDE



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **FRONTIER CONTINUED** | | | | | | | | | | | | | |
| FP45 | | | | | | | | | | | | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | | | | | | | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | | | | | | | | |
| **HITACHI** | | | | | | | | | | | | | |
| CS280, CS350, CS280B, CS350B, CS350A, CS35B | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 455 | | | | | | 16D0-CL-PO | 16D0-HL-PO |
| **HOMELITE** | | | | | | | | | | | | | |
| 180 SERIES,192, 200, 240SL, 245SL, SUPER 2, (SL, CC, XL, VI), XEL, EL, XL SERIES, SUPER Z, 35SL, ELECTRIC, XL-10, BANDIT LX30, EL14, SABRE 31, 33, 205, 3350B,190, 240, 245, (BEFORE # XE339), ELECTRIC 200, LITTLE RED, LX-30, VI SUPER, XEL ELECTRIC | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 48 | | | | | | | 12D0-CL-HX | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 53 | | | | | | | 14D0-CL-HX | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 59 | | | | | | | 16D0-CL-HX | |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 64 | | | | | | | | |
| 20, 20AV, 23AV, 3300, 3350, 3800, 3850, 4500, 4550, CS40, Z3850, PS33, RANGER, BANDIT 33/38 SERIES- 3314, 3316, ZR10540/60/80, 3318, CS40, UT10640, UT10660, UT10680, 13350, UT43120, UT43122, UT10510/4/6/7, UT10530/40/44/89, UT10901/26/47, UT43100/2/3 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 62 | 510 | | | 18D0-WM-PO | | | 18D0-CL-PO | 18D0-HL-PO |
| 25, 25AV 27,27AV, 4100, 4150, 4500, 4550, D4550B, I4150B, I4550B, TIMBERMAN, UT10896, UT10910, UT10926, UT10927A, UT10942A, UT10946A, UT10974, UT10518/9/20/26/50/52, ZR10520/22, UT10896 | | | | | | | | | | | | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | | | 16B0-CL-PO | 16B0-HL-PO |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | | | | | 18B0-CL-PO | 18B0-HL-PO |
| 50 | 20 | .325 | .050 | 1,3 | 78 | 567 | | | | | | 20B0-CL-PO | |
| 35SL, 330, 350, 360, SUPER XL, , BIG RED, XL12, XL-AO, XL400, UT43122, 410, 450, 460, 540, 550,650, 700, 750, 800, 825, 850,900, 922, 923, 925, 955, 8800, SXL, UT43103, XL700, XL800, XL900 | | | | | | | | | | | | | |
| | 14 | 3/8 | .050 | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 59 | | | | | | 16A0-LS-HN | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | | | | | | 18A0-LS-HN | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 70 | | | | | | 20A0-LS-HN | | |
| 60 | 24 | 3/8 | .050 | 1,3 | 84 | | | | | | | | |



## HOMELITE CONTINUED

| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **SUPER 240, 250, 252, 290, 300, 340 CS40, CS50, 415, 4550, HSC4040, 4545, 30, 150,EZ, EZ AUTO, 130, SUPEREZ, SUPER XK MINI, EZ250, 252, VI SUP MINI, VI-123, VI-125, XL-76, XL100 SERIES,XL 250** | | | | | | | | | | | | | |
| 33 | 13 | .325 | .050 | 1,3 | 56 | 384 | | | | 13B0-TL-UH | 13B0-LS-UH | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | | | | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 80 | 583 | | | | | 20B0-LS-UH | | |

## HUSQVARNA

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **23, 36, 41, 136, 137, 141, 142, 235, 240, 243, E16, E316, E317, E321, 250PS** | | | | | | | | | | | | | |
| 20 | 8 | 3/8LP | .050 | 1.3 | 32 | 268 | | | | | | | 8D0-HL-PO |
| 25 | 10 | 3/8LP | .050 | 1.3 | 40 | 300 | | | | | | | 10D0-HL-PO |
| 30 | 12 | 3/8LP | .050 | 1.3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8LP | .050 | 1.3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8LP | .050 | 1.3 | 57 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| **128LDX, 325P4X, 326P4X, 323P4, 327P5, 327PT5S, 33,34, 37, 333, 334T, 335XPT, 338, 136, T435, T540,137, 141, 142, 240, 243, 315E, 316E, 318E, 236E, 240E, 321E, 1400, 1600, 325P, T425, T435, 320E, 321EL, 135E** | | | | | | | | | | | | | |
| 25 | 10 | 3/8LP | .050 | 1,3 | 40 | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 342 | | | | | | 12D0-CL-UH | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | | | | 14D0-CL-UH | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 454 | | | | | | 16D0-CL-UH | |
| **38, 40, 40P, 41, 42, 44, 45, 49, 50, 51, 55, 57, 133, 136, 137, 140, 141, 142, 154, 234, 235, 238, 240, 242XP, 243, 440E, 550XP, 246, 254XP/G, 257, 261, 262XP, 262XPG, 336, 339, 338, 340, 445E, 450E, 345, 346XP, 350, 351, 353, 357XPG, 359, 360, 362, 365, 550XP TrioBrake, EL16, EL1400, EL1500, EL1600, EL1200** | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | 18B0-RN-UH | | 18B0-TL-UH | 18B0-LS-UH | | |
| **40S, 55 RANCHER, 435, 440, 444, 445, 450, 455 RANCHER, 460 RANCHER, 555, 560XP, 570** | | | | | | | | | | | | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 509 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 566 | | 20B8-RN-UH | | 20B8-TL-UH | 20B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 80 | 583 | | 20B8-RN-UHX | | 20B8-TL-UHX | | | |







## HUSQVARNA CONTINUED

### 154, 346XP, 254XP/G, 257XP, 262, 262XP, 362XP/G, 243, 261, 357XP, 55 RANCHER, 562XP AUTOTUNE

| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 38 | 15 | 3/8 | .058 | 1,5 | 56 | 451 | | | | 15A8-TL-UH | 15A8-LS-UH | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 465 | | | | | 16A8-LS-UH | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 64 | 509 | | 18A8-RN-UH | | 18A8-TL-UH | 18A8-LS-UH | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 548 | | 18A8-RN-UHX | | 18A8-TL-UHX | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 70 | 566 | | 20A8-RN-UHX | | 20A8-TL-UHX | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | 20A8-RN-UH | | 20A8-TL-UH | | | |

### 162, 61, 64, 65, 66, 70, 77, 160, 162, 181, 185, 260, 266, 266XP, T540XP, 268XP, 272, 272XP, 281XP, 285XP, 288XP, 298X, 365, 371XP, 372XP, 380, 385XP, 390XP, 394XP, 395XP, 480, 562, 570, 575, 576, 3120XP, 1100, 2100, 2101, 3120, 460

| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | 471 | 16X0-HS-HV | | | 16A0-TL-HV | 16A0-LS-HV | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 68 | 549 | 18X0-HS-HV | 18A0-RN-HV | | 18A0-TL-HV | 18A0-LS-HV | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 72 | 586 | 20X0-HS-HV | 20A0-RN-HV | | 20A0-TL-HV | 20A0-LS-HV | | |
| 60 | 24 | 3/8 | .050 | 1,3 | 84 | 690 | 24X0-HS-HV | 24A0-RN-HV | | | | | |
| 70 | 28 | 3/8 | .050 | 1,3 | 92 | 768 | | | | | | | |

### 556 AUTOTUNE, 570 AUTOTUNE, 576XP AUTOTUNE, 390XP, 395XP

| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | .058 | 1,5 | 52 | | | | | 13A8-TL-HV | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | 16X8-HS-HV | | | 16A8-TL-HV | 16A8-LS-HV | | |
| 43 | 17 | 3/8 | .058 | 1,5 | 64 | 508 | | | | | 17A8-LS-HV | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 549 | 18X8-HS-HV | 18A8-RN-HV | | 18A8-TL-HV | 18A8-LS-HV | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 586 | 20X8-HS-HV | 20A8-RN-HV | | 20A8-TL-HV | 20A8-LS-HV | | |
| 55 | 22 | 3/8 | .058 | 1,5 | 76 | 623 | | 22A8-RN-HV | | | | | |
| 60 | 24 | 3/8 | .058 | 1,5 | 84 | 690 | 24X8-HS-HV | 24A8-RN-HV | | | | | |
| 65 | 26 | 3/8 | .058 | 1,5 | 89 | | | | | | | | |
| 70 | 28 | 3/8 | .058 | 1,5 | 92 | 768 | | | | | | | |
| 80 | 32 | 3/8 | .058 | 1,5 | 102 | 890 | | | | | | | |
| 90 | 36 | 3/8 | .058 | 1,5 | 115 | 983 | | | | | | | |
| 50 | 20 | 3/8 | .063 | 1,6 | 72 | 586 | 20X3-HS-HV | 20A3-RN-HV | | 20A3-TL-HV | 20A3-LS-HV | | |
| 60 | 24 | 3/8 | .063 | 1,6 | 84 | 690 | 24X3-HS-HV | 24A3-RN-HV | | | | | |
| 70 | 28 | 3/8 | .063 | 1,6 | 92 | 768 | | | | | | | |
| 80 | 32 | 3/8 | .063 | 1,6 | 102 | 890 | | | | | | | |
| 90 | 36 | 3/8 | .063 | 1,6 | 115 | 983 | | | | | | | |



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **HUSQVARNA CONTINUED** | | | | | | | | | | | | | |
| 3120 XP | | | | | | | | | | | | | |
| 50 | 20 | .404 | .063 | 1,6 | 66 | 586 | 20X3-HS-HV | 20F3-RN-HV | | 20F3-TL-HV | 20F3-LS-HV | | |
| 60 | 24 | .404 | .063 | 1,6 | 76 | 690 | 24X3-HS-HV | 24F3-RN-HV | | | | | |
| 80 | 32 | .404 | .063 | 1,6 | 92 | 890 | | | | | | | |
| 90 | 36 | .404 | .063 | 1,6 | 104 | 983 | | | | | | | |
| **JOHN DEERE** | | | | | | | | | | | | | |
| 25EV, 28, 28V, 30, 30V, 35EV, 40V, 200CS, 230CS, CS36, CS40, CS40V, 45, 46, J3816 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 62 | 510 | | | | | | 18D0-CL-PO | 18D0-HL-PO |
| 45, 46, 300, 450 | | | | | | | | | | | | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | | | 16B0-CL-PO | 16B0-HL-PO |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | | | | | 18B0-CL-PO | 18B0-HL-PO |
| CS46, CS52, 76EV, 450V, 300CS, 350CS | | | | | | | | | | | | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | 18B0-RN-UH | | 18B0-TL-UH | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 78 | 566 | | 20B0-RN-UH | | 20B0-TL-UH | 20B0-LS-UH | | |
| CS-46, CS-52, CS-56, CS-62, 50V, 51SV, 55SV, 550CS, 60V | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | 468 | | | | | 16A0-LS-UH | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | 509 | | 18A0-RN-UH | | 18A0-TL-UH | 18A0-LS-UH | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 70 | 566 | | 20A0-RN-UH | | 20A0-TL-UH | 20A0-LS-UH | | |
| 60 | 24 | 3/8 | .050 | 1,3 | 84 | 662 | | | | | | | |
| 80EV, CS71, CS81, 80EV, 800V, 65SV | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | | | | 16A8-TL-JO | | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 66 | 545 | | | | 18A8-TL-JO | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | | | 20A8-TL-JO | | | |
| 60 | 24 | 3/8 | .058 | 1,5 | 83 | | | | | | | | |
| 70 | 28 | 3/8 | .058 | 1,5 | 94 | | | | | | | | |





## JONSERED CONTINUED

| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **M36, 36AV, M361,361,365, 370** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 395 | | | | | | 12D0-CL-F | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 50 | 452 | | | | | | 14D0-CL-F | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | | | | | | | | |
| **2033TH, 2137, 2138, 2234, 2238** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 443 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| **2035, 2036, 2040, 2135, 2121, 2117, 2118, 2121, 2135T, 2138, 2139, 2121EL, 2118EL, 2115EL, 2116EL, 2117EL, 2234, 2238** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 342 | | | | | | 12D0-CL-UH | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | | | | 14D0-CL-UH | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 454 | | | | | | 16D0-CL-UH | |
| **EL14, EL45, 45E, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 451EVS, 452, 455, 490, 510, 520, 521, 525, 535, 590, 2012, 2012EL, 2014, 2015, 2016, 2036, 2040, 2041, 2045, 2050, 2051, 2054, 2055, 2063,2137, 2139, 2141, 2145, 2149, 2150, 2152, 2153, 2156, 2159, 2163, 2234, 2238, 2240, 2245, 2250, 2255, 2252, 2253, 2258, 2260** | | | | | | | | | | | | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | 18B0-RN-UH | | 18B0-TL-UH | 18B0-LS-UH | | |
| **45E, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 451EVS, 452, 455, 490, 510, 520, 521, 525, 535, 590, 2012, 2012EL, 2014, 2015, 2016, 2036, 2040, 2041, 2045, 2050, 2051, 2054, 2055, 2063,2137, 2139, 2141, 2145, 2149, 2150, 2152, 2153, 2156, 2159, 2163, 2234, 2238, 2240, 2245, 2250, 2255, 2258, 2260, 2255S, 2234S, 2252, 2253WH, 2260WH** | | | | | | | | | | | | | |
| **3/8 ALSO AVAILABLE** | | | | | | | | | | | | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 566 | | 20B8-RN-UH | | 20B8-TL-UH | 20B8-LS-UH | | |
| **60, 61, 62, 66, 70, 75, 77, 80, 81, 90. 110, 111, 601, 621, 751, 801, 820, 830, 910, 920, 930, 941** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | | | | 16A8-TL-JO | | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 64 | 545 | | | | 18A8-TL-JO | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | | | 20A8-TL-JO | | | |

















| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **JONSERED CONTINUED** | | | | | | | | | | | | | |
| 625, 630, 630 SUPER, 670, 670 CHAMP, 2077, 2083, 2094, 2095, 2065, 2071, 2171, 2172, 2165, 2166, 2172, 2186, 2188, 820/830, *920/930 (* with 9mm stud), 670 WEST COAST, 2172W, 2188 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | 16X8-HS-HV | | | 16A8-TL-HV | 16A8-LS-HV | | |
| 43 | 17 | 3/8 | .058 | 1,5 | 64 | 508 | | | | 17A8-TL-HV | 17A8-LS-HV | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 549 | 18X8-HS-HV | 18A8-RN-HV | | 18A8-TL-HV | 18A8-LS-HV | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 586 | 20X8-HS-HV | 20A8-RN-HV | | 20A8-TL-HV | 20A8-LS-HV | | |
| 55 | 22 | 3/8 | .058 | 1,5 | 76 | 623 | 22X8-HS-HV | 22A8-RN-HV | | | | | |
| 60 | 24 | 3/8 | .058 | 1,5 | 84 | 690 | 24X8-HS-HV | 24A8-RN-HV | | | | | |
| 65 | 26 | 3/8 | .058 | 1,5 | 89 | | | | | | | | |
| 70 | 28 | 3/8 | .058 | 1,5 | 93 | 768 | | | | | | | |
| 80 | 32 | .404 | .063 | 1,6 | 92 | 890 | | | | | | | |
| 90 | 36 | 3/8 | .058 | 1,5 | 115 | 983 | | | | | | | |
| 50 | 20 | .404 | .063 | 1,6 | 66 | 586 | 20X8-HS-HV | 20F3-RN-HV | | 20F3-TL-HV | 20F3-LS-HV | | |
| 60 | 24 | .404 | .063 | 1,6 | 76 | 690 | 24X8-HS-HV | 24F3-RN-HV | | | | | |
| 90 | 36 | .404 | .063 | 1,6 | 104 | 983 | | | | | | | |
| **MAKITA** | | | | | | | | | | | | | |
| 5011, 5012, 5014, 5016 | | | | | | | | | | | | | |
| 30 | 12 | 1/4 | .050 | 1.3 | 66 | | | | | | | | |
| 35 | 14 | 1/4 | .050 | 1.3 | 76 | | | | | | | | |
| AUC120DWAE, DCS34, DCS330, 340, 341, 390, 400, 401, 5012, 5014, 5016, 3500, UC3501, UC3020A, UC3520, UC4020 | | | | | | | | | | | | | |
| 30 | 12 | 3/8LP | .043 | 1.1 | 46 | | | | | | | | |
| 35 | 14 | 3/8LP | .043 | 1.1 | 52 | | | | | | | | |
| 40 | 16 | 3/8LP | .043 | 1.1 | 56 | | | | | | | | |
| UC250DWB, DCS33, DCS34, DCS380, DCS390, DCS231, DCS232, DCS3410, DCS3501, 5011B, 5012B, 5014B, 5016B | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 443 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| DCS3000, DCS3500, DCS3501, DCS400, DCS4610, DCS350S, DCS390, 501GNB, DCS3520, DCS300 | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | | 15B0-LS-PO | 15B0-CL-PO | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | | | | 18B0-LS-PO | 18B0-CL-PO | 18B0-HL-PO |



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **MAKITA CONTINUED** | | | | | | | | | | | | | |
| DCS430, DCS4300, DCS431, DCS520, DCS5200, 45 | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | 18B0-RN-UH | | 18B0-TL-UH | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 78 | 566 | | 20B0-RN-UH | | 20B0-TL-UH | 20B0-LS-UH | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 566 | | 20B8-RN-UH | | 20B8-TL-UH | 20B8-LS-UH | | |
| DCS460, DCS500,DCS4600,DCS5030, DCS5200i, DCS6000i, DCS6800i, DCS4300, DCS5200 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | | | | | | | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | | | | | | | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 72 | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | | | | | | | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 64 | | | | | | | | |
| DCS6400, DCS6401, DCS7301, DCS7901, DCS9000, DCS9010, DCS7300, DCS7900, DCS500/45, DCS7301 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | 16X8-HS-HV | | | 16A8-TL-HV | 16A8-LS-HV | | |
| 43 | 17 | 3/8 | .058 | 1,5 | 64 | 508 | | | | 17A8-TL-HV | 17A8-LS-HV | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 549 | 18X8-HS-HV | 18A8-RN-HV | | 18A8-TL-HV | 18A8-LS-HV | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 586 | 20X8-HS-HV | 20A8-RN-HV | | 20A8-TL-HV | 20A8-LS-HV | | |
| 55 | 22 | 3/8 | .058 | 1,5 | 76 | 623 | 22X8-HS-HV | 22A8-RN-HV | | | | | |
| 60 | 24 | 3/8 | .058 | 1,5 | 84 | 690 | 24X8-HS-HV | 24A8-RN-HV | | | | | |
| **MARUYAMA** | | | | | | | | | | | | | |
| MCV3100, MCV3100 | | | | | | | | | | | | | |
| 35 | 14 | 3/8LP | .050 | 1.3 | 52 | | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8LP | .050 | 1.3 | 56 | | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |

# CHAINSAW BARS





| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **MCCULLOCH** | | | | | | | | | | | | | |
| 14A/S, 110, 115, 120, 130, 140, 155, 160S, 165, 175, 310, 320, 330, 340, 355, 365, 375, 430, 435, 440, 445, 474, 484, 510, 515, 735, 838, 2010, 2014, 2016, 2138, 2316, 2318, 3200, 3210, 3219, 3514, 3516, 3518, 3800, 3850, 3816, 160S, 2018S, 3205-14, 3818V, C180, CALIFOTLIA, CALIFOTLIA 90, ARIZON, EAGER BEAVER (2010, 2012, 2014, 2016, 2116, 2318), ELECTRA MAC 16E, ELECTROMAC 1030, 1035, EB2.3, EB2.3 MAC CAT, EB 6a, EM16, 10, 12, 14, 16E, EMAC1040, DAY900, MAC CAT, MAC CAT (16, 18), MAC CAT 839, MINI MAC (ALL MODELS), 3214/6, 3516/8, MAC120, MAC130, MAC930, MAC935, MAC940, MC SERIES, MM30, MM35, MS1415, MS1420, MS1425, MS1430, MS1432, MS1435, MS1455, MS1630, MS1635, MS1635NAV, MS1635NAVCC, MS1640, MS1645, MS1838, MS1838AV, MS1838AVCC, MS1842AVCC, MS1846AVCC, PM36, PM300, PM310, PM320, PM360, PM364, PM370, PM380, PM394, PM470, PM480, PM494, PM510, PM400, PM484, PM6, PM730, POWER MAC SERIES (6, 145-14, 255-16), POWER MAC 6, PROMAC SERIES (3200, 3205, 3205-14, 3210, 3212, 3214, 3216, 3219, 3505, 3800, 3805, 3818, 3850), SILVER EAGLE SERIES (2010, 2012, 2012S, 2104, 2014S, 2016, 2018S, 2316), SP-40, SUPER 17, TITAN SERIES (35, 36, 37, 38, 39 40), WILDCAT, 380 | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 336 | | | | | | 12D0-CL-M | 12D0-HL-M |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 49 | 382 | | | | | | 14D0-CL-M | 14D0-HL-M |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 55 | 433 | | | | | | 16D0-CL-M | 16D0-HL-M |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 60 | 485 | | | | | | 18D0-CL-M | 18D0-HL-M |
| 4600, 4700, 4900, 5000, 40, 46, 54, 61, 72, 410-ELITE, 450-ELITE, 10E, 12E, 14E, 16E, MS1425, MS1640, CS360T, CS400T | | | | | | | | | | | | | |
| 35 | 14 | 3/8LP | .050 | 1.3 | 52 | | | | | | | 14D0-CL-UH | |
| 40 | 16 | 3/8LP | .050 | 1.3 | 56 | | | | | | | 16D0-CL-UH | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | 16B0-RN-UH | | 16B0-TL-UH | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | 18B0-RN-UH | | 18B0-TL-UH | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 78 | 566 | | 20B0-RN-UH | | 20B0-TL-UH | 20B0-LS-UH | | |
| 1-10, 10-10, 2-10, 3-10, 4-10, 5-10, 55, 555, 6-10, 60, 610, 650, 655, 7-10, 70, 700, 80, 800, 805, 850, DE50, SP60, SP81, TITAN 50, TITAN 57, 955, 1000, CP55, CP70, CP70L, 560, 570, 620, DOUBLE EAGLE 50/57/80, PM605, PROMAC 5700/8200, SILVER EAGLE 3420/3720, SP-60, SP-70, SP80, SP81, TIMBER BEAR, TITAN 50/57/70, SP80, SP81, TITAN, MAC10 SERIES, 380, 360, 360T, 400, 400T | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | | | | | | | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | | | | | | | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 70 | | | | | | | | |
| 60 | 24 | 3/8 | .050 | 1,3 | 81 | | | | | | | | |
| INLINE 1650, INLINE 1800T, INLINE 2200T, POWERMAC PLUS 1800, E-PROMAC1900, E-PROMAC2200 | | | | | | | | | | | | | |
| | 14 | 3/8 | .050 | | | | | | | | | | |
| MAC 950, 960, 970, 300, PROMAC 51/55/60/72 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | | | | | 16A8-LS-JO | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 545 | | | | 18A8-TL-JO | 18A8-LS-JO | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | | | 20A8-TL-JO | 20A8-LS-JO | | |
| MS1215, MS1415, MS1425, MS1630, MS1640, MS1435, MS1645 | | | | | | | | | | | | | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 443 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 62 | 510 | | | | | | 18D0-CL-PO | 18D0-HL-PO |

APPLICATION GUIDE



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **MCCULLOCH CONTINUED** | | | | | | | | | | | | | |
| 35CC, 40CC, 50CC, 55CC | | | | | | | | | | | | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | | 16X0-LS-TO | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | | | | 18X0-LS-TO | | |
| 50 | 20 | .325 | .050 | 1,3 | 78 | 567 | | | | | 20X0-LS-TO | | |
| CSE1935SI, CSE2040SI, CSE1835, CSE1935S, CSE2040, CSE2040S | | | | | | | | | | | | | |
| | | 3/8 | .050 | | | | | | | | | | |
| | | 3/8 | .050 | | | | | | | | | | |
| **OLEO-MAC / OLYMPYK** | | | | | | | | | | | | | |
| OM15E | | | | | | | | | | | | | |
| | 12 | 3/8 | .043 | | | | | | | | | | |
| OM17E, OM19E | | | | | | | | | | | | | |
| | 14 | 3/8 | .050 | | | | | | | | | | |
| 931, 932 | | | | | | | | | | | | | |
| | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | 12D0-LS-PO | 12D0-CL-PO | 12D0-HL-PO |
| | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | 14D0-LS-PO | 14D0-CL-PO | 14D0-HL-PO |
| | 16 | 3/8 LP | .050 | 1,3 | 56 | 443 | | | 16D0-WM-PO | | 16D0-LS-PO | 16D0-CL-PO | 16D0-HL-PO |
| 240, 241, 244, 935, OLE140F, OLE300 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 342 | | | 12DO-WM-SW | | | 12DO-CL-SW | 12DO-HL-SW |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 50 | 391 | | | 14DO-WM-SW | | | 14DO-CL-SW | 14DO-HL-SW |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 55 | 434 | | | 16DO-WM-SW | | | 16DO-CL-SW | 16DO-HL-SW |
| 938, 940, 941, 945, 950, 951, 956, 962 | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | 15B0-RN-UH | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | 16B80RN-UH | | 16B0-TL-UH | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | 18B0-RN-UH | | 18B0-TL-UH | 18B0-LS-UH | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 35 | 14 | .325 | .058 | 1,5 | 60 | 415 | | | | | 14B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | 15B8-RN-UH | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | 16B8-RN-UH | | 16B8-TL-UH | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 566 | | 20B8-RN-UH | | 20B8-TL-UH | 20B8-LS-UH | | |

















| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **OLEO-MAC / OLYMPYK CONTINUED** | | | | | | | | | | | | | |
| **956, 962, 965** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | | | | | | | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | | | | | | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | | | | | | | | |
| 55 | 22 | 3/8 | .058 | 1,5 | 77 | | | | | | | | |
| **250, 251, 252, 254, 260, 261, 264, 271, 272, 280, 284, 300, 350, 355, 364, 460, 461, 480, 481, 482, 484, 486, 956, 962, 965, 970, 971, 980, 981, 985, 999** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | | | | 16A8-TL-JO | | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 545 | | | | 18A8-TL-JO | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | | | 20A8-TL-JO | | | |
| **999F** | | | | | | | | | | | | | |
| | 30 | .404 | .063 | | | | | | | | | | |
| **POLE PRUNER EP100, EP90, PP 250, PPX 250, 925** | | | | | | | | | | | | | |
| | 10 | 3/8 | .050 | | | | | | | | | | |
| **PARTNER** | | | | | | | | | | | | | |
| **1436, 1641, 1601, 1602, 1611, 1613, 1614, 1616, 1618, 330** | | | | | | | | | | | | | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 50 | 395 | | | | | | 14D0-CL-F | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 54 | 452 | | | | | | 16D0-CL-F | |
| **330, 335, 345, 360, 365, 385, 395, 351, 370, P 390, P 420, 350, 405, 340** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 351 | | | 12D0-WM-PO | | 12D0-LS-PO | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | 14D0-LS-PO | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 443 | | | 16D0-WM-PO | | 16D0-LS-PO | 16D0-CL-PO | 16D0-HL-PO |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 62 | 510 | | | | | 18D0-LS-PO | 18D0-CL-PO | 18D0-HL-PO |
| **P360, P400, P450, EL1450, EL1650, 410, 460, 470, 360, 365, 400, 405, 450, 465, 495, 510, 540, 500, 545,MINI FARMERSAW, P500, P5000, 1200EL, 1400EL, 1450, 1500EL, EL1650, 410, 460, 510CCS, 370, 320, P48, P49, P400, P450, 420, 470, 550, P5500, 605, 390** | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | 18B0-RN-UH | | 18B0-TL-UH | 18B0-LS-UH | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 35 | 14 | .325 | .058 | 1,5 | 60 | 415 | | | | | 14B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 566 | | 20B8-RN-UH | | 20B8-TL-UH | 20B8-LS-UH | | |





| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **PARTNER CONTINUED** | | | | | | | | | | | | | |
| 550, 1655, 2055, 650, 7000, P100, P55, P65, P70, R16, R17, R18, R19, R20, R21, R22, R40, R417, R418, R420, R421, R422, R435, R440, R522, R523, S50, 555, S65, R11, R12, R14, R23, R30, R35, R416, R44, R517, P50, P51, F55, 550, P85, 7700, 710, 660, P7700, 710 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | 16X8-HS-HV | 16A8-RN-HV | | 16A8-TL-HV | 16A8-LS-HV | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 549 | 18X8-HS-HV | 18A8-RN-HV | | 18A8-TL-HV | 18A8-LS-HV | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 586 | 20X8-HS-HV | 20A8-RN-HV | | 20A8-TL-HV | 20A8-LS-HV | | |
| 55 | 22 | 3/8 | .058 | 1,5 | 77 | 623 | 22X8-HS-HV | 22A8-RN-HV | | | | | |
| 60 | 24 | 3/8 | .058 | 1,5 | 84 | 690 | 24X8-HS-HV | 24A8-RN-HV | | | | | |
| 65 | 26 | 3/8 | .058 | 1,5 | 89 | | | | | | | | |
| 70 | 28 | 3/8 | .058 | 1,5 | 92 | 768 | | | | | | | |
| **POULAN** | | | | | | | | | | | | | |
| S25AV, S25CVA, S25D, S25DA, 20, 25 SERIES, 25A, 180, 190, 200, 205, 210, 220, 221, 225, 230, 235, 236,240, 250, 255, 260, 285, 295, 305, 306, 310, 325, 335, 336, 365, 523, 1220, 1425, 1625, 1800, 1900, 1900LE, 1950LE, 1975LE, 2000, 2050, 2055, 2055LE, 2075, 2075C, 2100, 2150, 2155, 2175, 2250, 2250LE, 2300, 2300CVA, 2350, 2375, 2375LE, 2400, 2450, 2500, 2550, 2600, 3314, 3416, 3516, 3816, 3816AV, 3818, 4018, 4218, 4218AV, E14E, E16E, ES350, ELECTRIC 1420, 1425, 1625, 2100, 2400, 2500, 2600, 400E, P600, PP210, PP260, PP295, PP300E, PP310, PP335, PP380, PATRIOT 1900,WILDTHING, WOODSHARK, MICRO 25, S23, S25 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 443 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 62 | 510 | | | | | | 18D0-CL-PO | 18D0-HL-PO |
| 285, 295, 305, 306SA, 310, 315, 335, 336, 2700, 2750, 2775, 2800, 2900, 3000, 3050, 3100, 3300, 3500, 3600, PREDATOR, 4600, 4620 | | | | | | | | | | | | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | | 16B0-LS-PO | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | | | | 18B0-LS-PO | | |
| 50 | 20 | .325 | .050 | 1,3 | 78 | 548 | | | | | 20B0-LS-PO | | |
| 325 | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | 18B0-RN-UH | | 18B0-TL-UH | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 78 | 566 | | 20B0-RN-UH | | 20B0-TL-UH | 20B0-LS-UH | | |
| 3314, PLN1514 | | | | | | | | | | | | | |
| | 14 | 3/8 | .050 | | | | | | | | | | |
| 361, 365, 3600, 375, 3700, 380, 3800, 395, 3900, 400 SERIES, 400, 445, 450, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 670, 200 SERIES, 203, 245, 375, 300 SERIES, 306, 306A, 3400, 360, P4018WT | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | 465 | | | | | 16A0-LS-PO | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | 508 | | | | 18A0-TL-PO | 18A0-LS-PO | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 70 | 548 | | | | 20A0-TL-PO | 20A0-LS-PO | | |
| 60 | 24 | 3/8 | .050 | 1,3 | 81 | | | | | | | | |

# CHAINSAW BARS



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **POULAN CONTINUED** | | | | | | | | | | | | | |
| 203, 245, 306, 360, 361, 375, 385, 395, 400, 445,446, 450, PLN3516F, 3400, 3700, 3800, 3900, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 5400, 6700 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | 471 | | | | 16A0-TL-EX | 16A0-LS-EX | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 68 | 528 | | | | 18A0-TL-EX | 18A0-LS-EX | | |
| 6900, 7700, 8500 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 59 | | | | | | 16A0-LS-HN | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | | | | | | 18A0-LS-HN | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 70 | | | | | | 20A0-LS-HN | | |
| 60 | 24 | 3/8 | .050 | 1,3 | 84 | | | | | | | | |
| POLESAWS, 446T,445,258T, 500P, PLN1510 | | | | | | | | | | | | | |
| 20 | 8 | 3/8 LP | .050 | 1,3 | 36 | 268 | | | | | | | 8D0-HL-PO |
| 25 | 10 | 3/8 LP | .050 | 1,3 | 40 | 300 | | | | | | | 10D0-HL-PO |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 342 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 443 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| P4018 | | | | | | | | | | | | | |
| **POWER PRUNER (ECHO)** | | | | | | | | | | | | | |
| PP300, PPT-2400, PPSR-2122, PPSR-2433, PPT260, PP300, PP400, PP600, PP800, PP1000, PP1200, PP1250, PP1260, PP1400, PP1400-D, PPF-2100, PPT-2100, PPF-2400 | | | | | | | | | | | | | |
| 20 | 8 | 3/8 LP | .050 | 1,3 | 34 | 268 | | | | | | | 8D0-HL-MP |
| 25 | 10 | 3/8 LP | .050 | 1,3 | 39 | 300 | | | | | | | 10D0-HL-MP |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 342 | | | | | | | 12D0-HL-MP |
| PPF280, PPT280, PPT265 | | | | | | | | | | | | | |
| 25 | 10 | 3/8LP | .050 | 1.3 | 40 | 300 | | | | | | | 10D0-HL-PO |
| 30 | 12 | 3/8LP | .050 | 1.3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8LP | .050 | 1.3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| **RYOBI** | | | | | | | | | | | | | |
| 35B, CS36, CS36C, CS41, CS3330, CS385CB, HC31, HC36, HC41, HCS31, HCS36, CS-1530/1535/1540 | | | | | | | | | | | | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 465 | | | | | 16B8-LS-PO | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | | | | 18B8-LS-PO | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 567 | | | | | 20B8-LS-PO | | |

APPLICATION GUIDE



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **RYOBI CONTINUED** | | | | | | | | | | | | | |
| CSE5145, CSE5650 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .043 | 1,1 | 44 | 342 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .043 | 1,1 | 56 | 443 | | | WM | | | 16D0-CL-PO | 16D0-HL-PO |
| **SEARS (CRAFTSMAN)** | | | | | | | | | | | | | |
| 3400, 3401, 3402, 3407, 3411, 3412, 3414, 3415, 3425, 3445, 3455, 3460, 3461, 3476, 34071, 34115, 34116, 35023, 35025, 35027, 35028, 35037, 35038, 35044, 35046, 35048, 35056, 35058, 35060, 35080, 35081, 35082, 35091, 35093, 35095, 35096, 35202, 35203, 35205, 35206, 35207, 35209, 35211, 35215, 35216, 35219, 35224, 35231, 35232, 35235, 35238, 35255, 35256, 35270, 35273, 35280, 35283, 35363, 35366, 35367, 35504, 35505, 35506, 35508, 35512, 35514, 35515, 35516, 35713, 35714, 35717, 35718, 35736, 35824, 358341040, 358350810, 358350670, 358360360, 358360380, 35841, 35886, 351040, 351140, 352680, 36010, 36012, 36015, 36017, 36080, 36082, 36085, 36087 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 443 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 62 | 510 | | | | | | 18D0-CL-PO | 18D0-HL-PO |
| 3403, 3416, 3417, 3470, 3471, 3482, 35256 | | | | | | | | | | | | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | | 16B0-LS-PO | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | | | | 18B0-LS-PO | | |
| 35507PS, 35020, 35119, 35120, 35121, 35492, 35607, 35624, 35624, 35624.2, 35628, 35633 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | 465 | | | | 16A0-TL-PO | 16A0-LS-PO | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | 508 | | | | 18A0-TL-PO | 18A0-LS-PO | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 70 | 548 | | | | 20A0-TL-PO | 20A0-LS-PO | | |
| 35145, 35212, 35483, 35608, 35609, 35690, 35721, 35727, 35728, 35826, 35829, 35851, 35881, 35885, Electrics (1983 and later), 35887, 35889 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 443 | | | | | | 16D0-CL-PO | 16D0-HL-PO |
| **SHINDAIWA** | | | | | | | | | | | | | |
| 280TCS | | | | | | | | | | | | | |
| | 10 | 1/4 | 0.050 | | | | | | | | | | |
| P230, P231, 280TS, 320TS, 360TS | | | | | | | | | | | | | |
| 20 | 8 | 3/8 LP | .050 | 1,3 | 34 | | | | | | | | 8D0-HL-MS |
| 25 | 10 | 3/8 LP | .050 | 1,3 | 40 | | | | | | | | 10D0-HL-MS |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | | | | | | | 12D0-CL-M | |

















| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **SHINDAIWA CONTINUED** | | | | | | | | | | | | | |
| **90, 100, 102, 103, 104, 105, 107, 110, 113, 120, 140, 150EL, 160EL, E180, 269, 285, 300, 305, 320, 340, 345, 346, 350, 352, 355, 360, 357, YB401, YB395, 353S** | | | | | | | | | | | | | |
| 25 | 10 | 3/8LP | 050 | 1.3 | 40 | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 443 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| **291, 300, 301, 305, 340, 345, 346, 350, 352, 390SX, 355, 357, 360, 366, 377,381, 389, 391, 394, 400, 401, 415, 416, 420, 440, 446, 450, 451,452, 488, 490, 500, 510, 560, 580, YB501, YB601, YB701, YB495, YB691, YB377, 488P, 405S, 600SX** | | | | | | | | | | | | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | 16B0-TL-TO | 16B0-LS-PO | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | | | 18B0-TL-TO | 18B0-LS-PO | | |
| 33 | 13 | .325 | .058 | 1.5 | 56 | | | | | | | | |
| 35 | 15 | .325 | .058 | 1.5 | 64 | 445 | | | | 15B8-TL-TO | 15B8-LS-PO | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 465 | | | | 16B8-TL-TO | 16B8-LS-PO | | |
| | 17 | .325 | .058 | 1.5 | | | | | | | | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | | | 18B8-TL-TO | | | |
| 50 | 20 | .325 | .058 | 1.5 | 78 | 567 | | | | 20B8-TL-TO | | | |
| **291, 300, 301, 305, 340, 345, 346, 350, 355, 357, 360, 366, 377,381, 389, 391, 394, 400, 401, 415, 416, 420, 440, 446, 450, 451,452, 488, 490, 500, 510, 560, 580, YB501, YB601, YB701, YB495, YB691, YB377** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 465 | | | | 16A8-TL-TO | 16A8-LS-TO | | |
| 43 | 17 | 3/8 | .058 | 1,5 | 64 | 445 | | | | 17A8-TL-TO | 17A8-LS-TO | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 519 | | | | 18A8-TL-TO | 18A8-LS-TO | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 567 | | | | 20A8-TL-TO | 20A8-LS-TO | | |
| **550, 575, 577, 680, 695, 757** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | 16X8-HS-HV | 16A8-RN-HV | | 16A8-TL-HV | 16A8-LS-HV | | |
| 43 | 17 | 3/8 | .058 | 1,5 | 64 | 508 | | | | 17A8-TL-HV | 17A8-LS-HV | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 549 | 18X8-HS-HV | 18A8-RN-HV | | 18A8-TL-HV | 18A8-LS-HV | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 586 | 20X8-HS-HV | 20A8-RN-HV | | 20A8-TL-HV | 20A8-LS-HV | | |
| | 24 | 3/8 | .058 | 1.5 | 84 | 690 | 24X8-HS-HV | 24A8-RN-HV | | | | | |
| | 28 | 3/8 | .058 | 1.5 | 93 | 768 | | | | | | | |
| **POLE PRUNER M242, M254, P230, P231** | | | | | | | | | | | | | |
| 20 | 8 | 3/8 LP | .050 | 1,3 | 34 | 240 | | | | | | | 8D0-HL-MX |
| 25 | 10 | 3/8 LP | .050 | 1,3 | 40 | 300 | | | | | | | 10D0-HL-MX |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 348 | | | | | | | 12D0-HL-MX |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 49 | 415 | | | | | | | 14D0-HL-MX |

APPLICATION GUIDE



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **SOLO** | | | | | | | | | | | | | |
| **613** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 454 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| **614, 630, 633, 635, 636, 637, 640, 643** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 342 | | | | | | 12D0-CL-UHL | |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | | | | 14D0-CL-UHL | |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 451 | | | | | | 16D0-CL-UHL | |
| **651, 652, 656** | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1.3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 465 | | | | 16B0-TL-UH | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 519 | | 18B0-RN-UH | | 18B0-TL-UH | 18B0-LS-UH | | |
| 38 | 15 | .325 | .058 | 1.5 | 64 | 445 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 465 | | | | 16B8-TL-UH | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | 18B8-RN-UH | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 566 | | 20B8-RN-UH | | 20B8-TL-UH | | | |
| **603, 662, 665, 667, 670, 675, 680, 681, 690, 694** | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | 471 | 16X0-HS-HV | | | 16A0-TL-HV | 16A0-LS-HV | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 68 | 549 | 18X0-HS-HV | 18A0-RN-HV | | 18A0-TL-HV | 18A0-LS-HV | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 72 | 586 | 20X0-HS-HV | 20A0-RN-HV | | 20A0-TL-HV | 20A0-LS-HV | | |
| 60 | 24 | 3/8 | .050 | 1,3 | 84 | 690 | 24X0-HS-HV | 24A0-RN-HV | | | | | |
| 70 | 28 | 3/8 | .050 | 1,3 | 93 | 768 | | | | | | | |
| 40 | 16 | 3/8 | .058 | 1,5 | 60 | 471 | 16X8-HS-HV | | | 16A8-TL-HV | 16A8-LS-HV | | |
| 45 | 18 | 3/8 | .058 | 1,5 | 68 | 549 | 18X8-HS-HV | 18A8-RN-HV | | 18A8-TL-HV | 18A8-LS-HV | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 586 | 20X8-HS-HV | 20A8-RN-HV | | 20A8-TL-HV | | | |
| 60 | 24 | 3/8 | .058 | 1,5 | 84 | 690 | 24X8-HS-HV | 24A8-RN-HV | | | | | |
| 50 | 20 | .404 | .063 | 1,6 | 66 | 586 | 20X3-HS-HV | 20F3-RN-HV | | 20F3-TL-HV | | | |
| 60 | 24 | .404 | .063 | 1,6 | 76 | 690 | 24X3-HS-HV | 24F3-RN-HV | | | | | |

# CHAINSAW BARS



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **STIHL** | | | | | | | | | | | | | |
| **E140, HT70, HT75, 017, 018, 019T, 023L, MS140, MS160, MS193C-E, MS150TC-E, MSE140, MSE160, MSE180, MS192, MSE200, ME220, MS170, MS171, MS180, MS181, MS190, MS191T, MS192T** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .043 | 1.1 | 44 | 342 | | | | | | 12D4-CL-SW | 12D4-HL-SW |
| 35 | 14 | 3/8 LP | .043 | 1.1 | 50 | 391 | | | | | | 14D4-CL-SW | 14D4-HL-SW |
| 40 | 16 | 3/8 LP | .043 | 1.1 | 55 | 434 | | | | | | 16D4-CL-SW | 16D4-HL-SW |
| **E140, HT70, HT75, 017, 018, 019T, 023L, MS140, MS160, MSE140, MSE160, MSE180, MS192, MSE200, ME220, MS170, MS171, MS180, MS181, MS190, MS191T, MS192T, MS200, MS201, MS201T, MS210, MS211, MS230, MS231, MS250, MS251, 009, 010, 011, 012, 017, 018, 019, 020, 021, 023, 025** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 342 | | | 12D0-WM-SW | | | 12D0-CL-SW | 12D0-HL-SW |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 50 | 391 | | | 14D0-WM-SW | | | 14D0-CL-SW | 14D0-HL-SW |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 55 | 434 | | | 16D0-WM-SW | | | 16D0-CL-SW | 16D0-HL-SW |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 61 | | | | | | | | |
| **E140, HT70, HT75, 017, 018, 019T, 023L, MS140, MS160, MSE140, MSE180, MS192, ME220, MS170, MS171, MS180, MS181, MS190, MS191T, MS192T, MS200, MS210, MS211, MS230, MS231, MS250, MS251, 009, 010, 011, 012, 017, 018, 019, 020, 021, 023, 025** | | | | | | | | | | | | | |
| 40 | 16 | .325 | .050 | 1,3 | 62 | 434 | | | | | 16B0-LS-SW | | |
| 45 | 18 | .325 | .050 | 1,3 | 68 | 484 | | | | | 18B0-LS-SW | | |
| 50 | 20 | .325 | .050 | 1,3 | 81 | | | | | | | | |
| **024, 026, 028, 028S, 029, 030, 031, 032, 034, 036, 036 PRO, 038, 039, FARM BOSS, 040, 041, 042, 044,045, 046, 048, 056, 064, 066** | | | | | | | | | | | | | |
| 32 | 13 | .325 | .063 | 1.6 | 56 | 373 | | | | 13B3-TL-SN | 13B3-LS-SN | | |
| 38 | 15 | .325 | .063 | 1,6 | 63 | 437 | | | | 15B3-TL-SN | 15B3-LS-SN | | |
| 40 | 16 | .325 | .063 | 1,6 | 67 | 471 | 16X3-HS-SN | 16B3-RN-SN | | 16B3-TL-SN | 16B3-LS-SN | | |
| 45 | 18 | .325 | .063 | 1,6 | 74 | 530 | 18X3-HS-SN | 18B3-RN-SN | | 18B3-TL-SN | 18B3-LS-SN | | |
| 50 | 20 | .325 | .063 | 1,6 | 81 | 584 | 20X3-HS-SN | 20B3-RN-SN | | 20B3-TL-SN | 20B3-LS-SN | | |
| **MS240, MS241, MS260, MS260 PRO, MS261** | | | | | | | | | | | | | |
| 32 | 13 | .325 | .058 | 1.5 | 56 | 385 | | | | 13B3-TL-SN | 13B8-LS-SN | | |

CHAPLICATION GUIDE






## STIHL CONTINUED

| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **MS270, MS270C, MS270CQS, MS271, MS280, MS280C, MS280CQS, MS290, MS291, MS310, MS311, MS341, MS360, MS360 PRO, MS360QS, MS361, MS361C, MS362, MS381, MS390, MS391, MS440, MS441, MS460, MS461, MS650, MS660, MS661, FARMBOSS** | | | | | | | | | | | | | |
| 40 | 16 | .325 | .063 | 1.6 | 67 | 474 | 16X3-HS-SN | 16B3-RN-SN | | 16B3-TL-SN | 16B3-LS-SN | | |
| 45 | 18 | .325 | .063 | 1.6 | 74 | 530 | 18X3-HS-SN | 18B3-RN-SN | | 18B3-TL-SN | 18B3-LS-SN | | |
| 50 | 20 | .325 | .063 | 1.6 | 81 | 584 | 20X3-HS-SN | 20B3-RN-SN | | 20B3-TL-SN | 20B3-LS-SN | | |
| 40 | 16 | 3/8 | .050 | 1,3 | 60 | 471 | 16X0-HS-SN | 16A0-RN-SN | | 16A0-TL-SN | 16A0-LS-SN | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 66 | 530 | 18X0-HS-SN | 18A0-RN-SN | | 18A0-TL-SN | 18A0-LS-SN | | |
| 32 | 13 | 3/8 | .063 | 1.6 | 50 | 373 | | | | 13A3-TL-SN | 13A3-LS-SN | | |
| 40 | 16 | 3/8 | .063 | 1,6 | 60 | 471 | 16X3-HS-SN | 16A3-RN-SN | | 16A3-TL-SN | 16A3-LS-SN | | |
| 45 | 18 | 3/8 | .063 | 1,6 | 66 | 530 | 18X3-HS-SN | 18A3-RN-SN | | 18A3-TL-SN | 18A3-LS-SN | | |
| 50 | 20 | 3/8 | .063 | 1,6 | 72 | 584 | 20X3-HS-SN | 20A3-RN-SN | | 20A3-TL-SN | 20A3-LS-SN | | |
| 55 | 22 | 3/8 | .063 | 1,6 | 76 | 623 | | 22A3-RN-SN | | | | | |
| 60 | 24 | 3/8 | .063 | 1,6 | 84 | 697 | 24X3-HS-SN | 24A3-RN-SN | | | | | |
| 70 | 28 | 3/8 | .063 | 1,6 | 92 | 777 | | | | | | | |
| 75 | 30 | 3/8 | .063 | 1,6 | 98 | 810 | | | | | | | |
| 80 | 32 | 3/8 | .063 | 1,6 | 105 | 890 | | | | | | | |
| 90 | 36 | 3/8 | .063 | 1,6 | 114 | 978 | | | | | | | |
| 106 | 42 | 3/8 | .063 | 1,6 | 135 | | | | | | | | |
| 50 | 20 | .404 | .063 | 1,6 | 66 | 584 | 20X3-HS-SN | 20F3-RN-SN | | 20F3-TL-SN | | | |
| 63 | 24 | .404 | .063 | 1,6 | 78 | 697 | 24X3-HS-SN | 24F3-RN-SN | | | | | |
| 75 | 30 | .404 | .063 | 1,6 | 88 | 810 | | | | | | | |
| 80 | 32 | .404 | .063 | 1,6 | 95 | 890 | | | | | | | |
| 90 | 36 | .404 | .063 | 1,6 | 104 | 978 | | | | | | | |
| **050, 051, 075, 076, 08S** | | | | | | | | | | | | | |
| 43 | 17 | 3/8 | .063 | 1,6 | 66 | | 17X3-HS-S | | | | | | |
| 53 | 21 | 3/8 | .063 | 1,6 | 75 | | 21X3-HS-S | | | | | | |
| 63 | 25 | 3/8 | .063 | 1,6 | 90 | | 25X3-HS-S | | | | | | |

CHAIN APPLICATION GUIDE



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **STIHL CONTINUED** | | | | | | | | | | | | | |
| 070 090, 084, 088, MS880 | | | | | | | | | | | | | |
| 43 | 17 | .404 | .063 | 1,6 | 60 | | | | | | | | |
| 53 | 21 | .404 | .063 | 1,6 | 68 | | | | | | | | |
| 63 | 25 | .404 | .063 | 1,6 | 80 | | 25X3-HS-SLD | | | | | | |
| 75 | 30 | .404 | .063 | 1,6 | 92 | | 30X3-HS-SLD | | | | | | |
| 83 | 33 | .404 | .063 | 1,6 | 100 | | 33X3-HS-SLD | | | | | | |
| 90 | 36 | .404 | .063 | 1,6 | 104 | | 36X3-HS-SLD | | | | | | |
| POLE PRUNER HT56, HT101 | | | | | | | | | | | | | |
| 25 | 10 | 1/4 | .043 | 1.1 | 56 | | | | | | | | |
| 30 | 12 | 1/4 | .043 | 1.1 | 64 | 342 | | | | | | 12D0-CL-SW | 12D0-HL-SW |
| Pole Pruner HT60, HT75, HT100, HT130, HT101, HT131, | | | | | | | | | | | | | |
| 25 | 10 | 3/8LP | .043 | 1.1 | 39 | | | | | | | | |
| 30 | 12 | 3/8LP | .043 | 1.1 | 44 | 342 | | | | | | 12D0-CL-SW | 12D0-HL-SW |
| **STIGA** | | | | | | | | | | | | | |
| SE1.6, SE1.8, SP3400 | | | | | | | | | | | | | |
| 35 | 14 | .325 | .058 | 1,5 | 56 | 391 | | | | | 14B8-LS-SW | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 434 | | | | | 16B8-LS-SW | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 484 | | | | | 18B8-LS-SW | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | | | | | | | | |
| SP460, SP510 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 44 | 342 | | | | | | 12D0-CL-SW | 12D0-HL-SW |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 391 | | | | | | 14D0-CL-SW | 14D0-HL-SW |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 55 | 434 | | | | | | 16D0-CL-SW | 16D0-HL-SW |
| **TAS TANAKA** | | | | | | | | | | | | | |
| ECS415, ECS4000, ECV4501, TCS40EA, TCS51, | | | | | | | | | | | | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 465 | | | | | 16B8-LS-PO | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | | | | 18B8-LS-PO | | |
| 50 | 20 | .325 | .058 | 1,5 | 80 | 567 | | | | | 20B8-LS-PO | | |
| ECS505, ECS506, ECS650, ECS655 | | | | | | | | | | | | | |
| 40 | 16 | 3/8 | .050 | 1,3 | | 471 | | | | | | | |
| 45 | 18 | 3/8 | .050 | 1,3 | 64 | 545 | | | | | 18A0-LS-EX | | |
| 50 | 20 | 3/8 | .050 | 1,3 | 70 | 583 | | 20A0-RN-EX | | | 20A0-LS-EX | | |





| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TAS TANAKA CONTINUED** | | | | | | | | | | | | | |
| ECS35, ECS290, ECS300, ECS320, ECS330, ECS350, ECS355, ECS356, ECS370, ECS405, ECS3301, ECS3351, ECS3401, ECS3500, TCS33EB, TCS3301, TCS3351, TCS3401 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 56 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| ECV5601 | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | | | | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 80 | 583 | | | | | 20B0-LS-UH | | |
| **ZENOAH (KOMATSU) (REDMAX)** | | | | | | | | | | | | | |
| G390, G400, GZ400, GZ4000, G410, G4100, G415, G4200, G450, G4500, GZ4500, G455, G500, G5000, G5200, G5300, G561, G46, G451, G621, GZ3500, G3700 | | | | | | | | | | | | | |
| 33 | 13 | .325 | .058 | 1,5 | 56 | 384 | | | | 13B8-TL-UH | 13B8-LS-UH | | |
| 35 | 14 | .325 | .058 | 1,5 | 60 | 415 | | | | | 14B8-LS-UH | | |
| 38 | 15 | .325 | .058 | 1,5 | 64 | 451 | | | | 15B8-TL-UH | 15B8-LS-UH | | |
| 40 | 16 | .325 | .058 | 1,5 | 66 | 468 | | | | | 16B8-LS-UH | | |
| 45 | 18 | .325 | .058 | 1,5 | 72 | 519 | | | | 18B8-TL-UH | 18B8-LS-UH | | |
| 50 | 20 | .325 | .058 | 1,5 | 78 | 566 | | | | 20B8-TL-UH | 20B8-LS-UH | | |
| 33 | 13 | .325 | .050 | 1,3 | 56 | 384 | | | | 13B0-TL-UH | 13B0-LS-UH | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | | | | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 80 | 583 | | | | | 20B0-LS-UH | | |
| G621A | | | | | | | | | | | | | |
| 45 | 18 | 3/8 | .058 | 1.5 | 64 | 545 | | | | | | | |
| 50 | 20 | 3/8 | .058 | 1,5 | 72 | 583 | | 20A0-RN-EX | | 20A0-TL-EX | 20A0-LS-EX | | |
| 60 | 24 | 3/8 | .058 | 1.5 | | | | | | | | | |
| G250, G300AVS, G2500T, GZ3500, G2000,G2500, G300TS, G3000, G310, G2500, G3100, G3200, G3300,G3800, G380AVS, GZ400, 450, 4200, 4400, 4900, 5200, G3300EZ, G3400, 3400, 361, 3700, 375 | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| 45 | 18 | 3/8 LP | .050 | 1,3 | 62 | 510 | | | | | | 18D0-CL-PO | 18D0-HL-PO |



| CM | IN | CHAIN | IN | MM | DL | LENGTH MM | LASERMAX PROFESSIONAL STELLITE | PROMAX PROFESSIONAL SOLID RSN | WOODMAX MINI RSN SOLID | TRIMAX PROFESSIONAL LAMINATED | TIMBERMAX PROFESSIONAL LAMINATED | MINIMAX CONSUMER LAMINATED | HOBBYMAX CONSUMER LAMINATED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **TAS TANAKA CONTINUED** | | | | | | | | | | | | | |
| **POLE PRUNERS: PSJ2300, PSZ2610** | | | | | | | | | | | | | |
| | 10 | 3/8 | .043 | | | | | | | | | | |
| **BOSCH** | | | | | | | | | | | | | |
| **AKE30/17S-18S-19S, AKE35/17-18-19, AKE40/17-18-19** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .043 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .043 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .043 | 1,3 | 57 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| **1586.7, 1586.8, AKE30B, AKE35, AKE40, GKE35, GKE40, PKE25, PKE30, PKE35, PKE40, AKE35-19PRO, BULLCRAFT** | | | | | | | | | | | | | |
| 30 | 12 | 3/8 LP | .050 | 1,3 | 45 | 348 | | | 12D0-WM-PO | | | 12D0-CL-PO | 12D0-HL-PO |
| 35 | 14 | 3/8 LP | .050 | 1,3 | 52 | 415 | | | 14D0-WM-PO | | | 14D0-CL-PO | 14D0-HL-PO |
| 40 | 16 | 3/8 LP | .050 | 1,3 | 57 | 455 | | | 16D0-WM-PO | | | 16D0-CL-PO | 16D0-HL-PO |
| **KS450** | | | | | | | | | | | | | |
| 38 | 15 | .325 | .050 | 1,3 | 64 | 445 | | | | 15B0-TL-UH | 15B0-LS-UH | | |
| 40 | 16 | .325 | .050 | 1,3 | 66 | 468 | | | | | 16B0-LS-UH | | |
| 45 | 18 | .325 | .050 | 1,3 | 72 | 509 | | | | | 18B0-LS-UH | | |
| 50 | 20 | .325 | .050 | 1,3 | 80 | 583 | | | | | 20B0-LS-UH | | |

|  PMD INTERNATIONAL ARCHER GUIDE BAR |  OREGON |  ÷2 PITCH |  DL |
|---|---|---|---|
| **TIMBERMAX LS & TL TYPE** | **PROLITE** | | |
| 11B8-LS-UH | 118SLBKO95 | .325” | 52 |
| | | 3/8” | 45 |
| 13B8-LS-UH | 138SLBKO95 | .325” | 56 |
| 13A8-LS-UH | 138SLDKO95 | 3/8” | 50 |
| | 138SLDZO95 | 3/8” | 52 |
| 13BO-LS-UH | 130MLBKO95 | .325” | 56 |
| 14B8-LS-UH | | .325” | 60 |
| 14A8-LS-UH | | 3/8” | 54 |
| 15BO-LS-UH | 150MLBKO95 | .325” | 64 |
| 15B0-TL-UH | 158SLGKO95 | .325” | 65 |
| 15B8-LS-UH | 158SLBKO95 | .325” | 64 |
| 15A8-TL-UH | 158SLHKO95 | 3/8” | 56 |
| | 160SLGZO95 | .325” | 65 |
| 16BO-TL-UH | 160SLGKO95 | .325” | 66 |
| | 160PXDKO95 | 3/8” | 59 |
| | 168SLGZO95 | .325” | 65 |
| 16B8-TL-UH | 168SLGKO95 | .325” | 66 |
| 16B8-LS-UH | 168SLBKO95 | .325” | 66 |
| 17A8-TL-UH | 168SLHKO95 | 3/8” | 60 |
| 16A8-LS-UH | 168SLDZO95 | 3/8” | 59 |
| 16A8-LS-UH | 168SLDKO95 | 3/8” | 59 |
| 18BO-TL-UH | 180SLGKO95 | .325” | 72 |
| 18BO-LS-UH | 180MLBKO95 | .325” | 72 |
| 18B8-TL-UH | 188SLGKO95 | .325” | 72 |
| 18B8-LS-UH | 188SLBKO95 | .325” | 72 |
| 18A8-TL-UH | 188SLHKO95 | 3/8” | 64 |
| 17B8-LS-UH | 34372 | .325” | 68 |
| 20A8-LS-UHX | 39450 | 3/8” | 68 |
| 20B8-TL-UH | 208SLGKO95 | .325” | 78 |
| 20BO-TL-UH | 200SLGKO95 | .325” | 78 |
| 20A8-LS-UH | | 3/8” | 70 |
| 20AO-TL-UH | 200SLHK095 | 3/8” | 70 |
| 16AO-TL-EX | 160SLHD176 | 3/8” | 60 |
| 16A8-TL-EX | 168SLHD176 | 3/8” | 60 |
| 16B8-TL-EX | 168SLGD176 | .325” | 67 |
| | | 3/8” | 64 |
| | 188SLHD176 | 3/8” | 64 |
| 18AO-LS-EX | 180SLHD176 | 3/8” | 66 |
| | 188SLGD176 | .325” | 72 |
| | | 3/8” | 70 |
| 20AO-LT-EX | 200SLHD176 | 3/8” | 72 |
| 13A8-TL-HV | 138SLHD009 | 3/8” | 52 |
| 13A8-TL-HV | 138SLDD009 | 3/8” | 52 |




PMD INTERNATIONAL ARCHER GUIDE BAR




OREGON




PITCH



DL

| TIMBERMAX LS & TL TYPE | PROLITE | | |
|---|---|---|---|
| 15A8-TL-HV | 158SLHD009 | 3/8” | 56 |
| 16A8-TL-HV | 168SLHD009 | 3/8” | 60 |
| 17A8-TL-HV | 178SLHD009 | 3/8” | 64 |
| 18A8-TL-HV | 188SLHD009 | 3/8” | 68 |
| 20AO-TL-HV | 200SLHD009 | 3/8” | 72 |
| 20A8-TL-HV | 208SLHD009 | 3/8” | 72 |
| 24AO-TL-HV | 240SLHD009 | 3/8” | 84 |
| 24A8-TL-HV | 248SLHD009 | 3/8” | 84 |
| 16A8-TL-JO | 168SLHD024 | 3/8” | 60 |
| 18A8-TL-JO | 188SLHD024 | 3/8” | 68 |
| 20A8-TL-JO | 208SLHD024 | 3/8” | 72 |
| | | 3/8” LP | 45 |
| | 138SLBK041 | .325” | 56 |
| | | 3/8” LP | 52 |
| 15B8-LS-PO | 158SLBK041 | .325” | 64 |
| 15B8-TL-PO | 158SLGK041 | .325” | 64 |
| 15B8-LS-PO | 158SLBK041 | .325” | 64 |
| | | 3/8” LP | 57 |
| 16BO-TL-PO | 160SLGK041 | .325” | 66 |
| 16B8-LS-PO | 168SLBK041 | .325” | 66 |
| 18BO-TL-PO | 180SLGK041 | .325” | 72 |
| 18B8-TL-PO | 188SLGK041 | .325” | 72 |
| 20AO-LS-PO | 200SLDK041 | 3/8” | 70 |
| 20BO-TL-PO | 200SLGK041 | .325” | 78 |
| | 160GLHD196 | 3/8” | 60 |
| | 200GLHD196 | 3/8” | 70 |
| 16AO-TL-MA | 160SLHD276 | 3/8” | 60 |
| 20AO-TL-MA | 200SLHD276 | 3/8” | 71 |
| | 140SLBK218 | .325” | 56 |
| | 160SLBK218 | .325” | 64 |
| 13B8-LS-SN | 138SLBDO25 | .325” | 56 |
| 13B3-LS-SN | 133SLBDO25 | .325” | 56 |
| 13A3-TL-SN | 133SLHDO25 | 3/8” | 52 |
| 15B3-LS-SN | 153SLGDO25 | .325” | 62 |
| 15A3-TL-SN | 153SLHDO25 | 3/8” | 56 |
| 16B3-TL-SN | 163SLGDO25 | .325” | 67 |
| 16A3-TL-SN | 163SLHDO25 | 3/8” | 60 |
| 16A8-TL-SN | 168SLHDO25 | 3/8” | 60 |
| | 178SLHDO25 | 3/8” | 64 |
| 18B3-TL-SN | 183SLGDO25 | .325” | 74 |
| 18A3-TL-SN | 183SLHDO25 | 3/8” | 66 |
| | 198SLHDO25 | 3/8” | 68 |
| 20AO-TL-SN | 200SLHD025 | 3/8” | 81 |

|  PMD INTERNATIONAL ARCHER GUIDE BAR |  OREGON |  PITCH |  DL |
|---|---|---|---|
| **TIMBERMAX LS & TL TYPE** | **PROLITE** | | |
| 20B3-TL-SN | 203SLGDO25 | .325” | 81 |
| 20A3-TL-SN | 203SLHDO25 | 3/8” | 72 |
| 25AO-TL-SN | 240SLHDO25 | 3/8” | 84 |
| 25A3-TL-SN | 243SLHDO25 | 3/8” | 84 |
| | | 3/8” LP | 45 |
| | | 3/8” LP | 50 |
| 14B3-LS-SW | | .325” | 56 |
| | | 3/8” LP | 55 |
| | 163SLBA074 | .325” | 62 |
| 16B3-LS-SH | | .325” | 62 |
| 18B3-LS-SW | 183SLBA074 | .325” | 68 |




PMD INTERNATIONAL ARCHER GUIDE BAR




OREGON




PITCH



DL

| PROMAX RN TYPE | POWER MATCH | | |
|---|---|---|---|
| 13B8-RN-UH | 138RNBK095 | .325” | 56 |
| 13A8-RN-UH | 138RNDK095 | 3/8” | 50 |
| 14B8-RN-UH | 148RNBK095 | .325” | 61 |
| 15B8-RN-UH | 158RNBK095 | .325” | 64 |
| 15A8-RN-UH | 158RNDK095 | 3/8” | 56 |
| 16B8-RN-UH | 168RNBK095 | .325” | 66 |
| 16BO-RN-UH | 160RNBK095 | .325” | 66 |
| 16AO-RN-UH | 160RNDZ095 | 3/8” | 59 |
| 17A8-RN-UH | 168RNDK095 | 3/8” | 60 |
| 18A8-RN-UH | 178RNDK095 | 3/8” | 64 |
| 18BO-RN-UH | 180RNBK095 | .325” | 72 |
| 20AO-RN-UHX | 180RNDK095 | 3/8” | 68 |
| 18B8-RN-UH | 188RNBK095 | .325” | 72 |
| 20A8-RN-UHX | 188RNDK095 | 3/8” | 68 |
| 18A8-RN-UH | 188RNDZ095 | 3/8” | 64 |
| 20AO-RN-UH | 200RNDZ095 | 3/8” | 70 |
| 21AO-RN-UH | 200RNDK095 | 3/8” | 72 |
| 21AO-RN-UH | 200RNBK095 | .325” | 78 |
| 21AO-RN-UH | 208RNDK095 | 3/8” | 72 |
| 21B8-RN-UH | 208RNBK095 | .325” | 78 |
| 21B8-RN-UHX | 8782C | .325” | |
| 22A8-RN-UH | 228RNDK095 | 3/8” | 77 |
| 24AO-RN-UH | 240RNDK095 | 3/8” | 84 |
| 24A8-RN-UH | 248RNDK095 | 3/8” | 84 |
| 26B8-RN-UH | | .325” | |
| 28AO-RN-UH | 280RNDK095 | 3/8” | 93 |
| 28B8-RN-UH | | .325” | |
| 16AO-RN-E | 8755D | 3/8” | 59 |
| 18AO-RN-E | 8784D | 3/8” | 64 |
| 20A8-RN-EX | 8873D | 3/8” | 72 |
| 16AO-RN-EX | 160RNDD176 | 3/8” | 60 |
| 16AO-RN-EX | 160GNDD176 | 3/8” | 60 |
| 18AO-RN-EX | 180RNDD176 | 3/8” | 66 |
| 20AO-RN-E | 200RNDD176 | 3/8” | 70 |
| 20AO-RN-E | 200GNDD176 | 3/8” | 70 |
| 20A8-RN-E | 208RNDD176 | 3/8” | 70 |
| 24AO-RN-E | 240RNDD176 | 3/8” | 81 |
| 24AO-RN-E | 240GNDD176 | 3/8” | 81 |
| 24A8-RN-E | 248RNDD176 | 3/8” | 81 |
| 24AO-RN-EX | | 3/8” | 84 |
| 13A8-RN-HV | 138RNDD009 | 3/8” | 52 |
| 15A8-RN-HV | 158RNDD009 | 3/8” | 56 |
| 16A8-RN-HV | 168RNDD009 | 3/8” | 60 |




PMD INTERNATIONAL
ARCHER GUIDE BAR




OREGON




PITCH



DL

| PROMAX RN TYPE | POWER MATCH | | |
|---|---|---|---|
| 16AO-RN-HV | 160RNDD009 | 3/8” | 60 |
| 17A8-RN-HV | 178RNDD009 | 3/8” | 64 |
| 18A8-RN-HV | 188RNDD009 | 3/8” | 68 |
| 18A0-RN-HV | 180RNDD009 | 3/8” | 68 |
| 20A8-RN-HV | 208RNDD009 | 3/8” | 72 |
| 20AO-RN-HV | 200RNDD009 | 3/8” | 72 |
| 20A3-RN-HV | 203RNDD009 | 3/8” | 72 |
| 22A8-RN-HV | 228RNDD009 | 3/8” | 76 |
| 24AO-RN-HV | 240RNDD009 | 3/8” | 76 |
| 24A8-RN-HV | 248RNDD009 | 3/8” | 84 |
| 24A3-RN-HV | 243RNDD009 | 3/8” | 84 |
| 26A8-RN-HV | 268RNDD009 | 3/8” | 89 |
| 28AO-RN-HV | 280RNDD009 | 3/8” | 92 |
| 28A8-RN-HV | 288RNDD009 | 3/8” | 92 |
| 28A3-RN-HV | 283RNDD009 | 3/8” | 92 |
| 30AO-RN-HV | 300RNDD009 | 3/8” | 98 |
| 32AO-RN-HV | 320RNDD009 | 3/8” | 105 |
| 32A3-RN-HV | 323RNDD009 | 3/8” | 105 |
| | 323RNFD009 | .404” | 105 |
| | 343RNFD009 | .404” | 110 |
| 36A3-RN-HV | 363RNDD009 | 3/8” | 115 |
| | 363RNFD009 | .404” | 104 |
| | 423RNDD009 | 3/8” | 135 |
| 16A8-RN-JO | 168RNDD024 | 3/8” | 60 |
| 18A8-RN-JO | 188RNDD024 | 3/8” | 68 |
| 20A8-RN-JO | 208RNDD024 | 3/8” | 72 |
| | 173RNFE031 | .404” | 60 |
| 17A3-RN-S | 173RNDE031 | 3/8” | 67 |
| | 213RNFE031 | .404” | 68 |
| 21A3-RN-S | 213RNDE031 | 3/8” | 75 |
| 15A8-RN-DS | 158RNDB083 | 3/8” | 56 |
| 18A8-RN-DS | 178RNDB083 | 3/8” | 64 |
| 21A8-RN-DS | 208RNDB083 | 3/8” | 72 |
| 17A8-RN-DO | 178RNDD033 | 3/8” | 64 |
| 20A8-RN-DO | 208RNDD033 | 3/8” | 72 |
| 24A8-RN-DO | | 3/8” | 80 |
| 29A8-RN-DO | | 3/8” | 96 |
| 15B8-RN-PO | 158RNBK041 | .325” | 64 |
| 16BO-RN-PO | 160RNBK041 | .325” | 66 |
| 16B8-RN-PO | 168RNBK041 | .325” | 66 |
| 18BO-RN-PO | 180RNBK041 | .325” | 72 |
| 20B8-RN-PO | 208RNBK041 | .325” | 80 |
| | 160RNDD196 | 3/8” | 60 |




PMD INTERNATIONAL
ARCHER GUIDE BAR




OREGON




PITCH



DL

| PROMAX RN TYPE | POWER MATCH | | |
|---|---|---|---|
| | 200RNDD196 | 3/8” | 70 |
| | 240RNDD196 | 3/8” | 81 |
| 16AO-RN-MA | 160RNDD276 | 3/8” | 60 |
| 20AO-RN-MA | 200RNDD276 | 3/8” | 71 |
| 24AO-RN-MA | 240RNDD276 | 3/8” | 81 |
| 15B3-RN-SN | 153RNBD025 | .325” | 62 |
| 15A3-RN-SN | 153RNDD025 | 3/8” | 56 |
| 16BO-RN-SN | 160RNBD025 | .325” | 67 |
| 16AO-RN-SN | 160RNDD025 | 3/8” | 60 |
| 16B3-RN-SN | 163RNBD025 | .325” | 67 |
| 16A3-RN-SN | 163RNDD025 | 3/8” | 60 |
| 18BO-RN-SN | 180RNBD025 | .325” | 74 |
| 18AO-RN-SN | 180RNDD025 | 3/8” | 66 |
| 18B3-RN-SN | 183RNBD025 | .325” | 74 |
| 18A3-RN-SN | 183RNDD025 | 3/8” | 66 |
| 20BO-RN-SN | 200RNBD025 | .325” | 81 |
| 20AO-RN-SN | 200RNDD025 | 3/8” | 72 |
| 20A3-RN-SN | 203RNDD025 | 3/8” | 72 |
| 20B3-RN-SN | 203RNBD025 | .325” | 72 |
| 25AO-RN-SN | 240RNDD025 | 3/8” | 84 |
| 25A3-RN-SN | 243RNDD025 | 3/8” | 84 |
| 28A3-RN-SN | 283RNDD025 | 3/8” | 91 |
| 28AO-RN-SN | 280RNDD025 | 3/8” | 91 |
| 28F3-RN-SN | 283RNFD025 | .404” | 83 |
| 30AO-RN-SN | 300RNDD025 | 3/8” | 98 |
| 30A3-RN-SN | 303RNDD025 | 3/8” | 98 |
| 32AO-RN-SN | 320RNDD025 | 3/8” | 105 |
| 32A3-RN-SN | 323RNDD025 | 3/8. | 105 |
| | 323RNFD025 | .404” | 95 |
| 34A3-RN-SN | 343RNDD025 | 3/8” | 110 |
| 36A3-RN-SN | 363RNDD025 | 3/8” | 114 |
| | 363RNFD025 | .404” | 104 |
| 42A3-RN-SN | 423RNDD025 | 3/8” | 135 |




PMD INTERNATIONAL
ARCHER GUIDE BAR




OREGON




PITCH



DL

| LASER MAX HS TYPE | LASER TIP | | |
|---|---|---|---|
| 16XO-HS-HV | 160ATMD009 | 3/8” | 60 |
| 16X8-HS-HV | 168ATMD009 | 3/8” | 60 |
| 16X3-HS-HV | 173ATMD009 | 3/8” | 68 |
| 18XO-HS-HV | 180ATMD009 | 3/8” | 68 |
| 18X8-HS-HV | 188ATMD009 | 3/8” | 68 |
| 20XO-HS-HV | 200ATMD009 | 3/8” | 72 |
| 20X3-HS-HV | 203ATMD009 | 3/8” | 72 |
| 20X8-HS-HV | 208ATMD009 | 3/8” | 72 |
| 24XO-HS-HV | 240ATMD009 | 3/8” | 84 |
| 24X3-HS-HV | 243ATMD009 | 3/8” | 84 |
| 24X8-HS-HV | 248ATMD009 | 3/8” | 84 |
| 16XO-HS-SN | 160ATMD025 | 3/8” | 60 |
| 16X3-HS-SN | 163ATMD025 | 3/8” | 60 |
| 18XO-HS-SN | 180ATMD025 | 3/8” | 66 |
| 18X3-HS-SN | 183ATMD025 | 3/8” | 66 |
| 20XO-HS-SN | 200ATMD025 | 3/8” | 72 |
| 20X3-HS-SN | 203ATMD025 | 3/8” | 72 |
| 25XO-HS-SN | 240ATMD025 | 3/8” | 84 |
| 25X3-HS-SN | 243ATMDO25 | 3/8” | 84 |
| 16XO-HS-EX | 160ATMD176 | 3/8” | 60 |
| 16XO-HS-E | | 3/8” | 59 |
| 18XO-HS-EX | 180ATMD176 | 3/8” | 66 |
| 18XO-HS-E | | 3/8” | 64 |
| 20XO-HS-E | 200ATMD176 | 3/8” | 70 |
| 20XO-HS-EX | | 3/8” | 72 |
| 24XO-HS-E | | 3/8” | 81 |
| 24XO-HS-EX | | 3/8” | 84 |
| 13X8-HS-UH | | .325” | 56 |
| 14X8-HS-UH | | .325” | 60 |
| 15X8-HS-UH | | .325” | 64 |
| 17XO-HS-UH | 160ATMK095 | 3/8” | 60 |
| 16XO-HS-UH | 160ATMZ095 | .325” | 66 |
| | 160ATMZ095 | 3/8” | 59 |
| 17X8-HS-UH | 168ATMK095 | 3/8” | 60 |
| 17X8-HS-UH | | .325” | 68 |
| 20XO-HS-UHX | 180ATMK095 | 3/8” | 68 |
| 18XO-HS-UH | 180ATMZ095 | .325” | 72 |
| | 188ATMK095 | 3/8” | 68 |
| 21XO-HS-UH | 200ATMK095 | 3/8” | 72 |
| 20XO-HS-UH | 200ATMZ095 | .325” | 78 |
| | 200ATMZ095 | 3/8” | 70 |
| 21X8-HS-UH | 208ATMK095 | 3/8” | 72 |
| 12XO-HS-PO | | 3/8” LP | 47 |




PMD INTERNATIONAL
ARCHER GUIDE BAR




OREGON




PITCH



DL

| LASER MAX HS TYPE | LASER TIP | | |
|---|---|---|---|
| 14XO-HS-PO | | 3/8” LP | 52 |
| 16XO-HS-PO | | 3/8” LP | 58 |
| 12XO-HS-HX | | .325” | 53 |
| 14XO-HS-HX | | .325” | 59 |
| 16XO-HS-HX | | .325” | 67 |
| 16X8-HS-JO | 168ATMD024 | 3/8” | 60 |
| 18X8-HS-JO | 188LAMD024 | 3/8” | 68 |
| 20X8-HS-JO | 208ATMD024 | 3/8” | 72 |
| 23X8-HS-JO | 238ATMD024 | 3/8” | 80 |
| 25X8-HS-JO | 258ATMD024 | 3/8” | 88 |
| 30X8-HS-JO | 308ATMDO24 | 3/8” | 98 |
| 15X8-HS-DS | 158ATMB083 | 3/8” | 56 |
| 18X8-HS-DS | 178ATMB083 | 3/8” | 64 |
| 21X8-HS-DS | 218ATMB083 | 3/8” | 72 |
| 24X8-HS-DS | | 3/8” | 80 |
| 17X3-HS-DO | 173ATMD033 | .404” | 61 |
| 21X3-HS-DO | | .404” | 70 |
| 25X3-HS-DO | | .404” | 78 |
| 30X3-HS-DO | | .404” | 92 |
| 33X3-HS-DO | | .404” | 100 |
| 37X3-HS-DO | | .404” | 109 |
| 44X3-HS-DO | | .404” | 126 |
| 17X8-HS-DOL | | 3/8” | 64 |
| 20X8-HS-DOL | 208ATMD033 | 3/8” | 72 |
| 24X8-HS-DOL | | 3/8” | 80 |
| 21X3-HS-H | 213ATMF014 | 3/8” | 78 |
| 25X3-HS-H | 253ATMF014 | 3/8” | 90 |
| 17X3-HS-S | 173ATLE031 | .404” | 66 |
| 21X3-HS-S | 213ATLE031 | .404” | 75 |
| 25X3-HS-S | 253ATLE031 | .404” | 88 |
| 17X3-HS-S | 173ATME031 | .404” | 60 |
| 21X3-HS-S | 173ATME031 | .404” | 75 |
| 25X3-HS-S | 173ATME031 | .404” | 88 |
| 21X3-HS-SL | 213ATLEO86 | .404” | 72 |
| 25X3-HS-SLD | 253ATLE099 | .404” | 84 |
| 30X3-HS-SLD | 303ATLE099 | .404” | 92 |
| 33X3-HS-SLD | | .404” | 100 |
| 36X3-HS-SLD | 363ATLE099 | .404” | 104 |
| 42X3-HS-SLD | 423ATLE099 | .404” | 122 |

|  PMD INTERNATIONAL ARCHER GUIDE BAR |  OREGON |  PITCH |  DL |
|---|---|---|---|
| **MINI MAX CL TYPE** | **PRO 91** | | |
| 12DO-CL-PO | 120GPEA041 | 3/8” LP | 45 |
| | | 3/8” LP | 46 |
| 14DO-CL-PO | 140GPEA041 | 3/8” LP | 52 |
| 16DO-CL-PO | 160GPEA041 | 3/8” LP | 57 |
| | | 3/8” LP | 56 |
| 18D0-CL-PO | 180SDEA041 | 3/8” LP | |
| | | 3/8” LP | 34 |
| | | 3/8” LP | 39 |
| 12DO-CL-M | 120SPEA218 | 3/8” LP | 44 |
| 14DO-CL-M | 140SPEA218 | 3/8” LP | 49 |
| 16DO-CL-M | 160SPEA218 | 3/8” LP | 55 |
| 18DO-CL-M | | 3/8” LP | 60 |
| 12DO-CL-SW | | 3/8” LP | 44 |
| 14DO-CL-SW | 140SPEA074 | 3/8” LP | 50 |
| 16DO-CL-SW | 160SPEA074 | 3/8” LP | 55 |
| 12DO-CL-F | | 3/8” LP | 45 |
| 14DO-CL-F | 140SPEA064 | 3/8” LP | 52 |
| 16DO-CL-F | 160SPEA064 | 3/8” LP | 56 |
| 12DO-CL-HX | 120GPEA061 | 3/8” LP | 48 |
| | 140GPEA061 | 3/8” LP | 52 |
| 14DO-CL-HX | | 3/8” LP | 53 |
| 16DO-CL-HX | 160GPEA061 | 3/8” LP | 59 |
| 12DO-CL-UHX | 120SPEA095 | 3/8” LP | 45 |
| | 140SPEA095 | 3/8” LP | 52 |
| | 160SPEA095 | 3/8” LP | 56 |
| | | 3/8” LP | 45 |
| | | 3/8” LP | 50 |
| | | 3/8” LP | 56 |
| | | 3/8” LP | 52 |
| | | 3/8” LP | 47 |
| | | 3/8” LP | 53 |
| | | 3/8” LP | 58 |

# CHAINSAW BARS







## PO (A041) / TO (K041)

| | | | | | |
|---|---|---|---|---|---|
| 8D0-HL-PO | 080MLEA041 | 240 | 3/P LP | 34 | 1 |
| 8D0-HL-PO1 | 080SDEA041 | 268 | 3/P LP | 36 | 1 |
| 10D0-HL-PO | 100SDEA041 | 300 | 3/P LP | 40 | 1 |
| 10D0-CL-PO | 100SDEA041 | 298 | 3/P LP | 40 | 4 |
| 12D0-CL-PO | 120DGEA041 | 348 | 3/P LP | 45 | 4 |
| 12D0-HL-PO | 120SDEA041 | 351 | 3/P LP | 45 | 1 |
| 12D0-CL-PO1 | 120GPEA041 | 342 | 3/P LP | 44 | 4 |
| 14D0-HL-PO | 140DGEA041 | 417 | 3/P LP | 52 | 1 |
| 14D0-CL-PO | 140SPEA041 | 415 | 3/P LP | 52 | 4 |
| 16D0-CL-PO | 160SPEA041 | 455 | 3/P LP | 56 | 4 |
| 16D0-HL-PO | 160MLEA041 | 454 | 3/P LP | 57 | 1 |
| 16D0-HL-PO1 | 160MLEA041 | 443 | 3/P LP | 56 | 1 |
| 18D0-HL-PO | 180DGEA041 | 510 | 3/P LP | 62 | 1 |
| 18D0-CL-PO | 180SDEA041 | 505 | 3/P LP | 62 | 4 |
| 13B0-LS-PO | | | .325 | | |
| 15B0-LS-TO | 150SLBK041 | 451 | .325 | 64 | 4 |
| 15B8-TL-TO | 158SLGK041 | 445 | .325 | 64 | 5 |
| 16B0-LS-TO | 160GDBK041 | 454 | .325 | 64 | 4 |
| 16B0-LS-TO1 | 160GDBK041 | 468 | .325 | 66 | 4 |
| 16B0-TL-TO | 160SLGK041 | 465 | .325 | 66 | 5 |
| 18B0-LS-TO | 180SLBK041 | 519 | .325 | 72 | 4 |
| 18B0-TL-TO | 180SLGK041 | 508 | .325 | 72 | 5 |
| 20B0-LS-TO | 200PXBK041 | 567 | .325 | 80 | 4 |
| 20B0-TL-TO | 200GLGK041 | 548 | .325 | 78 | 5 |




## EX (D176)

| | | | | | |
|---|---|---|---|---|---|
| 16B0-LS-EX | 160SLGD176 | 471 | .325 | 66 | 5 |
| 18B0-LS-EX | 180SLGD176 | 545 | .325 | 76 | 5 |
| 16A0-LS-EX | 160SLHD176 | 471 | 3/8 | 60 | 5 |
| 18A0-LS-EX | 180SLHD176 | 528 | 3/8 | 64 | 5 |
| 20A0-TL-EX | 200SLHD176 | 583 | 3/8 | 72 | 5 |







## M (A318) / MS (A218)

| | | | | | |
|---|---|---|---|---|---|
| 12D0-CL-M | 120SPEA118 | 336 | 3/8 LP | 44 | 4 |
| 12D0-HL-M | 120SPEA119 | 342 | 3/8 LP | 44 | 1 |
| 14D0-CL-M | 140SPEA118 | 382 | 3/8 LP | 49 | 4 |
| 14D0-HL-M | 140SPEA118 | 390 | 3/8 LP | 49 | 1 |
| 16D0-CL-M | 16DSPEA118 | 433 | 3/8 LP | 55 | 4 |
| 16D0-HL-M | 16DSPEA118 | 441 | 3/8 LP | 55 | 1 |
| 18D0-CL-M | 18DSPEA118 | 485 | 3/8 LP | 59 | 4 |
| 18D0-HL-M | 18DSPEA118 | 484 | 3/8 LP | 59 | 1 |




## HX (A061)

| | | | | | |
|---|---|---|---|---|---|
| 12D0-CL-HX | 120DGEA061 | 374.0 | 3/8 LP | 48 | 4 |
| 14D0-CL-HX | 140DGEA061 | 420.0 | 3/8 LP | 53 | 4 |
| 16D0-CL-HX | 160DGEA061 | 475.0 | 3/8 LP | 59 | 4 |




## HN (D196)

| | | | | | |
|---|---|---|---|---|---|
| 16A0-LS-HN | 16DSLHD196 | 464.0 | 3/8 | 59 | 4 |
| 18A0-LS-HN | 180SLHD196 | 511.0 | 3/8 | 64 | 4 |
| 20A0-LS-HN | 200SLHD196 | 567.0 | 3/8 | 70 | 4 |

CHAINSAW BARS CROSS REFERENCE

*NOTE: Mount illustrations may not be 100% to scale.







## UHL (A095) / UH (K095)

| | | | | | |
|---|---|---|---|---|---|
| 13B8-LS-UH | 138SLBK095 | 384 | .325 | 56 | 4 |
| 14B8-LS-UH | | 415 | .325 | 60 | |
| 15B8-TL-UH | 158SLGK095 | 445 | .325 | 64 | 5 |
| 15B8-LS-UH | 158SLBK095 | 451 | .325 | 64 | 4 |
| 15B8-RN-UH | 158RNDK095 | 444 | .325 | 62 | 5 |
| 16B8-LS-UH | 160MLBK095 | 468 | .325 | 66 | 4 |
| 16B8-TL-UH | 168SLGK095 | 465 | .325 | 66 | 5 |
| 16B8-RN-UH | 168RNDK095 | 465 | .325 | 66 | 5 |
| | 34372 | | .325 | 68 | |
| | 168RNBZ095 | | .325 | 69 | |
| 18B8-TL-UH | 188SLGK095 | 509 | .325 | 72 | 5 |
| 18B8-LS-UH | 188MLBK095 | 519 | .325 | 72 | 4 |
| 18B8-LS-UHL | 188MLBA095 | 519 | .325 | 72 | 4 |
| 18B8-RN-UH | 188RNGK095 | 519 | .325 | 72 | 4 |
| 20B8-TL-UH | 200SLGK095 | 548 | .325 | 76 | 5 |
| 20B8-LS-UH | 200SLGK095 | 548 | .325 | 76 | 4 |
| 20B8-RN-UH1 | 200RNBK095 | 566 | .325 | 78 | 5 |
| 20B8-TL-UH2 | 200SLHK095 | 583 | .325 | 80 | 5 |
| 13A8-LS-UH | 138SLDK095 | | 3/8 | 50 | 4 |
| 15A8-TL-UH | 158SLHK095 | 451 | 3/8 | 56 | 5 |
| 15A8-LS-UH | 158SLHK095 | 445 | 3/8 | 56 | 4 |
| 15A8-RN-UH | 158RNHK095 | 445 | 3/8 | 56 | 4 |
| 16A8-LS-UH | 168SLDK095 | 468 | 3/8 | 60 | 4 |
| 16A8-TL-UH | 168SLHK095 | 465 | 3/8 | 60 | 5 |
| 16A8-RN-UH | 168RNBK095 | 471 | 3/8 | 60 | 5 |
| 18A8-TL-UH | 180SLHK095 | 508 | 3/8 | 62 | 5 |
| 18A8-LS-UH | 188SLDK095 | 519 | 3/8 | 64 | 4 |
| 18A8-RN-UH | | 515 | 3/8 | 64 | 5 |
| 18A8-TL-UHX | 39450 | 548 | 3/8 | 68 | 5 |
| 18A8-RN-UHX | 180RNDK095 | 548 | 3/8 | 68 | 5 |
| 20A8-TL-UH | 208SLHK095 | 583 | 3/8 | 72 | 5 |
| 20A8-RN-UH | 208SLHK095 | 583 | 3/8 | 72 | 5 |
| 20A8-LS-UH | 208SLDK095 | 566 | 3/8 | 70 | 4 |
| 24A8-RN-UH1 | 248RNDK095 | 662 | 3/8 | 84 | 5 |
| 24A8-RN-UH | 248RNDK095 | 704 | 3/8 | 84 | 5 |
| 28A8-RN-UH | 288RNDK095 | | 3/8 | 93 | 5 |







## HV (D009)

| | | | | | |
|---|---|---|---|---|---|
| 13A8-RN-HV | 138RNDD009 | 404 | 3/8 | 52 | 5 |
| 15A8-RN-HV | 158RNDD009 | 441 | 3/8 | 56 | 5 |
| 15A8-TL-HV | 158SLHD009 | 437 | 3/8 | 56 | 5 |
| 16A8-LS-HVP | | 462 | 3/8 | 60 | 4 |
| 16A8-TL-HV | 168SLHD009 | 474 | 3/8 | 60 | 5 |
| 16A8-RN-HV | 168RNDD009 | 471 | 3/8 | 60 | 5 |
| 17A8-RN-HV | 178RNDD009 | 502 | 3/8 | 64 | 5 |
| 17A8-TL-HV | 178SLHD009 | 508 | 3/8 | 64 | 5 |
| 18A8-LS-HV | 188SLHD009 | 542 | 3/8 | 68 | 4 |
| 18A8-LS-HVP | | 545 | 3/8 | 68 | 4 |
| 18A8-TL-HV | 188SLHD009 | 549 | 3/8 | 68 | 5 |
| 18A8-RN-HV | 188RNDD009 | 544 | 3/8 | 68 | 5 |
| 20A8-RN-HV | 208RNDD009 | 587 | 3/8 | 72 | 5 |
| 20A8-LS-HV | 208SLHD009 | 585 | 3/8 | 72 | 4 |
| 20A8-TL-HV | 208SLHD009 | 586 | 3/8 | 72 | 5 |
| 20A8-LS-HV | | 584 | 3/8 | 72 | 4 |
| | 208ATMD009 | | 3/8 | 72 | |
| 22A8-RN-HV | 228RNDD009 | 623 | 3/8 | 76 | 5 |
| 23A8-RN-HV | | 662 | 3/8 | 80 | 5 |
| 24A8-RN-HVX | 248RNDD009 | 680 | 3/8 | 82 | 5 |
| 24A8-RN-HV | 240RNDD009 | 690 | 3/8 | 84 | 5 |
| 28A8-RN-HV | 288RNDD009 | 777 | 3/8 | 92 | 5 |
| 28A8-RN-HV | 288RNDD009 | 768 | 3/8 | 92 | 5 |
| 32A3-RN-HV | 323RNDD009 | 890 | | | 5 |
| 36A8-RN-HV | | 970 | 3/8 | 114 | 5 |
| | 368RNDD009 | 983 | 3/8 | 115 | |




## JO (D024)

| | | | | | |
|---|---|---|---|---|---|
| 16A8-TL-JO | 168SLHD024 | 471 | 3/8 | 60 | 5 |
| 18A8-TL-JO | 188SLHD024 | 545 | 3/8 | 68 | 5 |
| 20A8-TL-JO | 208SLHD024 | 583 | 3/8 | 72 | 5 |

*NOTE: Mount illustrations may not be 100% to scale.







## SW (A074) / SN (D025)

| | | | | | |
|---|---|---|---|---|---|
| 12D0-HL-SW | 120SDEA074 | 342 | 3/8 LP | 44 | 1 |
| 12D4-HL-SW | 124MLEA074 | 342 | 3/8 LP | 44 | 1 |
| 12D0-CL-SW | 120SPEA074 | 332 | 3/8 LP | 44 | 4 |
| 14D0-HL-SW | 140SDEA074 | 391 | 3/8 LP | 50 | 1 |
| 14D0-CL-SW | 140SPEA074 | 386 | 3/8 LP | 50 | 4 |
| 14D4-HL-SW | 144MLEA074 | 391 | 3/8 LP | 50 | 1 |
| 16D0-HL-SW | 160SDEA074 | 442 | 3/8 LP | 55 | 1 |
| 16D0-HL-SW | 160SPEA074 | 434 | 3/8 LP | 55 | 4 |
| 18D0-CL-SW | 180SDEA074 | 496 | 3/8 LP | 60 | 4 |
| 14B0-LS-SW | 160MPBA074 | 391 | 3/8 LP | 56 | 4 |
| 16B0-LS-SW | 160SLBA074 | 434 | 3/8 LP | 62 | 4 |
| 18B0-LS-SW | 180MPBA074 | 484 | 3/8 LP | 68 | 4 |
| 18B3-LS-SW | 183SLBA074 | 484 | 3/8 LP | 68 | 4 |







## SN (D025)

| | | | | | |
|---|---|---|---|---|---|
| 13B3-TL-SN | 133SLGD025 | 373 | .325 | 56 | 5 |
| 13B3-RN-SN | 133RNBD025 | 404 | .325 | 56 | 5 |
| 15B3-TL-SN | 153SLGD025 | 437 | .325 | 62 | 5 |
| 15B3-LS-SN | 153SLGD025 | 439 | .325 | 62 | 4 |
| 15B3-RN-SN | 153RNGD025 | 441 | .325 | 62 | 5 |
| 16B3-TL-SN | 163SLGD025 | 471 | .325 | 67 | 5 |
| 16B3-LS-SN | 163SLGD025 | 474 | .325 | 67 | 4 |
| 16B3-RN-SN | 163RNGD025 | 483 | .325 | 68 | 5 |
| 17B3-RN-SN | | 502 | .325 | 70 | 5 |
| 18B3-TL-SN | 183SLGD025 | 530 | .325 | 74 | 5 |
| 18B3-LS-SN | 183SLGD025 | 530 | .325 | 74 | 4 |
| 20B3-TL-SN | 203SLGD025 | 584 | .325 | 81 | 5 |
| 20B3-LS-SN | 203SLGD025 | 584 | .325 | 81 | 4 |
| 13A3-TL-SN | 133SLHD025 | 373 | 3/8 | 52 | 5 |
| 13A3-RN-SN | 133RNHD025 | 404 | 3/8 | 52 | 5 |
| 15A3-TL-SN | 153SLHD025 | 437 | 3/8 | 56 | 5 |
| 15A3-LS-SN | 153SLHD025 | 439 | 3/8 | 56 | 4 |
| 15A3-RN-SN | 153SRND025 | 441 | 3/8 | 56 | 5 |
| 16A3-TL-SN | 163SLHD025 | 471 | 3/8 | 60 | 5 |
| 16A3-LS-SN | 163SLHD025 | 474 | 3/8 | 60 | 4 |
| 18A3-TL-SN | 183SLHD025 | 529 | 3/8 | 66 | 5 |
| 18A3-LS-SN | 183SLHD025 | 530 | 3/8 | 66 | 4 |
| 18A3-RN-SN | 183RNHD025 | 531 | 3/8 | 66 | 5 |
| 20A3-TL-SN | 203SLHD025 | 584 | 3/8 | 72 | 5 |
| 20A3-LS-SN | 203SLHD025 | 584 | 3/8 | 72 | 4 |
| 20A3-RN-SN | 203RNHD025 | 587 | 3/8 | 72 | 5 |
| 22A3-RN-SN | 203RNHD025 | 623 | 3/8 | 76 | 5 |
| 25A3-TL-SN | 243RNDD025 | 697 | 3/8 | 84 | 5 |
| | 243SLHD025 | | 3/8 | 84 | |
| 28A3-RN-SN | 283RNDD025 | 777 | 3/8 | 92 | 5 |
| 32A3-RN-SN | 323RNDD025 | 890 | 3/8 | | 5 |
| 30A3-RN-SN | 303RNDD025 | 810 | 3/8 | 98 | 5 |
| 36A3-RN-SN | 363RNDD025 | 978 | 3/8 | 114 | 5 |




## F (A064)

| | | | | | |
|---|---|---|---|---|---|
| 14D0-CL-F | 140SDEA064 | | 3/8 LP | 50 | 4 |
| 16D0-CL-F | 160SDEA064 | | 3/8 LP | 56 | 4 |

*NOTE: Mount illustrations may not be 100% to scale.

CHAINSAW BARS NOTES

CHAINSAW BARS NOTES

# CHAINSAW BARS & NOTCHES

CHAINSAW NOTES

Archer
AUSTRALIA




ARCHBARS2016