YARBO

YARBO: THE ALL-IN-ONE YARD SOLUTION

The World's First Modular Yard Robot.
Experience the Future of Yard Care with Yarbo.



www.yarbo.

YARBO
NASHVILLE LLC




YARBO

% ,!#, # , * %, , ,
! & ! %$, !, * , !* #, #!,) $%,
,"!* #, , (# &+ !#,,
! $ (,%*, # ," # !$, ,# &+,
’ #, !%& ,



!,# #!, #%$, %(&! & ,
&# %,!) &, , %%! , (,!" # & ! ,
, %(# , ,! % %&$ &,(&#%(, ,
* , !# #%,,& &," % ,


YARBO

, !*%¦ " & ,! (%, , %%!# %,
&!, , !(& , && , ,! , $!,!$,
"#!) %,& &+), #% & &+ %("!!(##&, ,
*,# $,! (, , # % &!, (,
* &*, ,(% *, & & , *,!*, & ,

YARBO
NASHVILLE LLC



) < = (* 4 , 7 / + (6 * , F	/ 6 7 * @ 3 5F, 9 (FF$ 4 = : (< 7 6 / * F : (+ (9 @ 5 8 , : F
7 < / = 0 7 6 0F6(-/ - (= 0 7 6 F	! F P% 1 < 1 7F6 $ F F F
(A 0 - (= / $ 6 , : !P9 , , < F	% 1 < 1 7F6 $ F F F
(C F4 0 5) / 6) 0 4 0 = E F	F F F
@ > / 6& 5 + = . F	F0 6 F F5 5 F F
" , 3 , 7 8 , : (= 1 7 6 F	' , < F
(/ 6 F , = , * = 1 7 6 F	' , < F
(? , : E F(8 (* 1 = E F	2 & . F
7 0 < , FA , 4 F	F+ F
. (9 - 0 6 # 0 5 , F	F5 1 6 F
7 B 0 6 - !7 5 , F , 9 F. (9 - , F	F5 0 6 F
& 7 9 2 0 6 EF* 4 , F9 F(E F	F

% , 9 = / * (3 F) < =((* 4 / 5 -)7 4 0 = EFF6 FF * 5 FF	
7 6 6 , * = 0 A / = E F	
@ = 7 9 , * . (9 - , F	' , < F
7 B / 6 - F9 , (F , : F . (9 - , F	F(* 9 , FF F ; F
7 B / 6 - F: , (F , : F (E F	F(* : , < F F ; F
(C F 7 A , : (- , FFD & , , 2 FF	F(* : , < FF F ; F F



1

#

+ $ &#.'". . # #", $. "$.
+- *'-.", .



2

"#! #

*'&, $ & &"!.$ &&&.",. &. . .
, ' . & &# $.



3

#

* ' ."$'."* '" *'.$ &&&.# &. .
"+ $ %", .% &'&#.'". . . . .



4

#

&.'"* .' $$ . . $." &' &.
, ' . &&&. &".. .



5

#

& &'&". . ., '."%. & .$ &&.
" ' " &.



6

#

% $. ($" &. .& "$' &. & .
&' ."$.() $. *$ -.



YARBO
NASHVILLE LLC



"4 0 : & , * @	" @	. & 2 * : * 6 @	@3 @@ 2@2 @@
4 : 4 7 @4 > * 7 @	# @	. 3 * @3 , : - @	+ ;@@2 @
5 * 7 & : . 3 , @* @' 6 @& 8 , * @	@/ 3 @	. 3 * @3 , : - @ 6 @*) @	/@@@ @2 @
- & 7 , / 3 , .@2 * @	2 / 3 @	. 3 * @*) @5 * *) @	@ @
5 * 7 & : . 3*, 2@5 * 6 & : < 6 * @	@ @ @ @ @	0 . 2 ' . 3 , @5 & ' . 0 . : ? @	@ @ @
! 7 / 2 2 . 3 , @ , - : @	@3 @@ (2 @	" * 6 : / (& 19@ & (0 * &@9 9 / 3 ,' @1 / : ? @@3 @@ (2@@@	
# & : * 6 5 7 4 4* +@1 @	$ @	< : 4 6 * (- & 7 , * @	% * 9 @



)* ' 3 + '3+ $ 2(3. ' +3,* && *3
#3*(&(3 +, % + 3

"..+,3.,, ' 3 ,+3*(&33,(33
' +3 3& 3

/ 3 ' 3)% & ',+(33('%2(3 3 3
&(', 3,3&(+, 3





3 ('' ,+3* && *03!, 3 * (3(* 3(*3
.,('(&(.+3 3,*!&& ' 33%+(3))(*,+3
.,.* 3- & ',+3 # 3,* 3,, * +3 3
. %,3(%+ 3

3 '3 3.+ 30!, 33 03,(03 , 3 3
,(, *3 23+.))(*,3)3,(3 3 +(3 3('. 3
0 ,3 % ++33!+3 ,.)3 *+3 , *3
+, % ,(2&3) * 3,(33+, ' * 3(03 , 3

YARBO
NASHVILLE LLC

YARBO SNOW BLOWER

Yarbo Snow Blower frees you from traditional backbreaking snow removal.



SPECIFICATIONS

Stage Type	2-stage	Cleaning Width	24 in (60 cm)
Intake Height	12 in (30 cm)	Throwing Distance	6 - 40 ft (1.8 - 12 m)
Chute Rotation	-10° - 190°	Deflector Angle	- 5° - 50°
Coverage / Charge (1 in)	6,000 sq.ft (558 m²)	Operation Time/Charge	1.5 hours
Charging Time (From 20% to 80%)	1.5 hours	Waterproof Level	IPX5
Powered By	Lithium-ion battery	Applicable Slope	Up to 36%
Operating Temperature	- 13°F - 113°F (-25°C - 45°C)	Applicable Snow Types	Dry / wet / packed snow
Applicable Surfaces	Paved, Concrete, Gravel	Obstacle Detection	Binocular camera & Bumper
Connectivity	4G & Wi-Fi & Bluetooth & Wi-Fi HaLow	Teleoperation	Yes
Auto-recharge	Yes	Module Weight	77 lbs (35 kg)

* **Disclaimer:** Data is from Yarbo experiment tests.



- * ' # " -
)) 2 % 2) + 2 ! ' & + , & % % 2

) ! $ % -
2 & " " + & % 2 + &) % 2 2 - $ ') 2
, , 2 & + , ! + 2 % + , . ! % + 2 -) % 2
+ , 1 2 * % & 2 ' * , & % 2

+ ' ! $ % ') % - & & ' " ' - (% , -
&) 2 - %) 2 $ ') , -) + 2 + 2 & / 2 + 2
2 2

- # + - - # * % -
2 # & / 2 & .) + 2 2 , & 2 2
) + 2 , & - , 2 2 % 2 &) 2 ! ! - ") 2
, 2 - + 2

" ' & $) - % - % & -
& % (-) 2 ! ! % % , 2) % / + , 2 2
0 ' , & % " 2 , * , & % 2 ' , + 2 2

- ! % & -
% + -) , 2 2 + , 1 & 2 ' 2 + ,) % 2

' # % " -
" 0 ! + 2 % & / 2 - , 2 , 2 % + -) + 2 % & / 2
! % + 2 , ! 1 / 2 * 2 1 & - / 2 % , 2

) ' - # ' ' # "
% , ! ! % , !) 1 2 , 2 2 + % & / , 2 & , 2 2
+ % , 2) 2

" #) % - ! % -
$) , 2 & + , ! 2 , , & % 2 2 . & % 2

+ # & ' - & " -
% ! 2 ! ! 2 % + & 2 + 2 % & / 2 & * , ! + + ! 1 2

YARBO
NASHVILLE LLC



;2L:>H*:=F7\	F>H\
%IX=H*:>F7(7M;2L:7\	\G>H\
%IX=H:L72(7L\;2M:7\	25M7\ \N\
.IMA>H:[\5B(7L\2[\	\
%IX=H:L72(7L\2[\	\\25M7O\ \N\\
%2Z%IX>H:L72\	25M7O\ \N\
)2=H7P75P>IH\	17O\
2T7L[\2K25=P[\	\A.;\
.2P7LKMI#9W7C\	(0\
&I>O$7W7B\	\6\

'4OP25W7\=62H57\	>HI5UB52E7M2,\BPL2OIH=5\ M262\LUGK7M\
(IO=P=IH\=&2W>:2P=IH\	)+"\\->O>IH\%,\\' '%\
&2W=:2P,H6H7\LM77O\	-=O=IH!\%,\\' '%\
%2Z B>F4>H4>\C=P[\	\ \ \
UT>H:=\6P;\	\>H\ \FG\\
6@UOP24C7H:7=:;Q\	\=H\ \=H\ \ \FF\\
-7MP>'42CB\25(27O\O>H4>\B>P[\	\=H\ \GG\\
IHH75P=W>P[\	\\/? ?\ EV8RJJ/S?<\?\3DJY\
UPI M75;2L:7\	17O\
*7B7IK7M2P=IH\	17O\


YARBO

YARBO
NASHVILLE LLC



1 =$E 5 ; * 4 @ D E	E E	< < 6 1 * ( ) 66 E< , E	E E E
1 =$E 6 A 8 , E	E E	< , = (@ 2 : . E " 1 8 E (= . , E	E 3 : E
; @ ; = EC , = E	(@ , + E % E	/ (> . 1 : . E # 2 9 > E 9 E E @ ; E E	E ; A = ? E
; : : , * @ 2 B 3 @ D E E 1 4E 6 A , @ ; ; @ 2 2 (E ; C E		# , 5 , ; < , = (@ 2 ; : E	' , ? E
A @ ; > , * 0 (= . , E ' , ? E		% (@ , > < = ; B E 6 E	& E


YARBO

# #
$ ' " .% $ % + . $ % # .

# #
" " . . " $ $ $ % .

# #
% . $ % .% % .. (.

# #
$ +". % . . % # " ' $ % , .
" $ $% # $ $ % # ')% . % .(+ .
" ' .) . .

! # # #
" "
.) " . . $ . . % &) % .
* % . "% ' $. " . # % " . .
. ! ' .) % . " % .- - $.
(. " ' $. $.

YARBO
NASHVILLE LLC
















Spatial AI System


Improved Safety


Stereo Vision Binocular Cameras


Worry-Free Under Trees

YARBO
NASHVILLE LLC

" !" " " " " " "



$2, 2& 2+2&$ &(,2 2 - (12+(2$$ $ &0 2(&2 2,&$&"&.+(12.($,2&2 (2$+.) $ &$, $.&.0+&2(2 0 , &.,2$12 ++! &2$12&.('2), 2

" " !" !"



(&2+'2&0) 2122 , ." &$2)120 , 2 $&2(# .!2" ++ &$0 2 20 !!22(2 2 '(&, , /&2 2.)2%/ (&$" $, 2, &$ 1,22 '&++ ++ -22&0 * . 2 2 2 ' ,12$ 2 $2&' (, 2$,2"' (,.) +2 $ $ 2(&"22 12 2,&22+ &($ 2 2


70% Slope
Exceptional Slope-Climbing Ability


All-Terrain Traversing Ability

% %# % " % % % $ % $!% % % % % % " % % % % !
% $ % #% % % $ % % % %%% $ % % % $ %





YARBO
NASHVILLE LLC















! % "*" "*#*# $ * " *' $ * ! *$ *
$ $$ *! # * * & * #$" %$* "*$) *#*
#$ #$* * # * * " *$ * !# '*' *
(# $*** $ ** "* * " #*%" * "

% *" ("* $#* " #* $ # *
* ' *& $ $(* $) #* '* " *
$*! % $* * $ ** %#* $# "*$) "# *
* # $


SUPERDOCKING
Auto-switch and storage of all detachable modules













YARBO
NASHVILLE LLC

SOCIAL CHANNELS

YouTube LinkedIn Facebook Instagram

GET IN TOUCH

P.O. Box 2155 Mt Juliet to 37121

Tel: +1 (629) 401-9342
Dealer Contact: scott@yarbotn.com